

Wicken Fen Bibliography

Compiled by Terry Rowell, and updated by Laurie Friday and Stuart Warrington.

- Adye, J.M. (1888) A week at Wicken. *Entomologist*, **21**: 234
- Adye, J.M. (1889) A fortnight in the Cambridgeshire Fens, etc. *Entomologist*, **22**: 236-237
- Akeroyd, J. (2006) Expanding England's surviving Fenland. *Plant Talk* **43**: 13
[purchase of 100 ha expanding the reserve to 652ha]
- Alderman, A.E.G., Baker, C.J.L., Nicholson, H.H., & Firth, D.H. (1951) The effect of ground water-level upon productivity and composition of fenland grass. *Journal of Agricultural Science*, **41**: 191-202
- Aldridge, D.C. (1997) Reproductive ecology of bitterling (*Rhodeus sericeus* Bloch) and unionid mussels. PhD Thesis, University of Cambridge.
- Aldridge, D.C. (1998) The identification and distribution of freshwater mussels in the River Cam catchment. *Nature in Cambridgeshire*, **40**: 61-69.
- Aldridge, D.C. (1999) Development of European bitterling in the gills of freshwater mussels. *Journal of Fish Biology* **54**: 138-151
- Aldridge, D.C. (1999) The morphology, growth and reproduction of Unionidae (Bivalvia) in a fenland waterway. *Journal of Molluscan Studies* **65**: 47-60.
- Allen, A.A. (1944) *Psephalus dresdensis* Hbst. (Col) in Cambridgeshire. *Entomologist's Monthly Magazine*, **80**: 249
- Allen, A.A. (1946) *Dorytomus filirostris* Gyll. (Col. Curculionidae), a weevil new to Britain. *Entomologists' Monthly Magazine*, **83**: 126
- Allen, A.A. (1947) *Apion lemoroi* Bris. (Col. Curculionidae) in Cambridgeshire. *Entomologists' Monthly Magazine*, **83**: 147
- Allen, A.A. (1959) *Hydraena palustris* Er. (Col. Hydrophilidae) at Wicken Fen, Cambs. *Entomologists' Monthly Magazine*, **95**: 126
- Allen, D.E. (1980) The early history of plant conservation in Britain. *Transactions of the Leicester Literary and Philosophical Society*, **72**: 35-50
- Allen, K.R., & Gambles, R.M. (1932) Preliminary account of the Ephemeroptera of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 580-582. Cambridge, Bowes & Bowes.
- Allen, M.J. (1971) The cooperative ringing enquiry. *Wicken Fen Group*, **3**: 7-10
- Allen, M.J. (1973) The moult enquiry. *Wicken Fen Group*, **5**: 30-32.
- Allison, H. (1987) Wicken Fen. A living laboratory. *National Trust Magazine*, **51**: 18-19.
- Anon. (1859) [re *A. gelechia* at Wicken Fen, 30 April 1858]. *Entomologists' Annual, 1859*, 162 .
- Anon. (1861) [Review of Babington C.C.'s 'Flora of Cambridgeshire']. *Phytologist*, **NS 5**: 121-125.
- Anon. (1878) The Royal Academy. *Magazine of Art, 1878*, 101-106
- Anon. (1883) In the Fens. *English Illustrated Magazine*, **No 2**: 67-75
- Anon. (1897) Wicken Fen. *Entomologist*, **30**: 220
- Anon. (1897) [Report of the London Entomological and Natural History Society]. *Entomologists' Record and Journal of Variation*, **9**: 214
- Anon. (1900) [Re rumour of the draining of Wicken Fen, as referred to in the leader in 'The Standard' of 21 April 1900, and subsequent correspondence]. *Fenland Notes and Queries*, **4**: 339-340
- Anon. (1901) [Re G.H. Verrall's reply to Johnston H.B. (1901)]. *Entomologists' Record and Journal of Variation*, **13**: 381
- Anon. (1901-03) [Report on fire in Wicken Fen]. *Fenland Notes and Queries*, **5**: 377-379
- Anon. (1903) Fire in Wicken Fen. *Entomologist*, **36**: 191
- Anon. (1904-1906) [Report on fire in Wicken Fen]. *Fenland Notes and Queries*, **6**: 76-77
- Anon. (1913) The moths of Wicken Fen. *Morning Post, 1 Nov 1913*, p 12
- Anon. (1913) Current notes and short notices. *Entomologists' Record and Journal of Variation*, **25**: 286
- Anon. (1914) Current notes and short notices. *Entomologists' Record and Journal of Variation*, **26**: 119
- Anon. (1914) Entomological Society of London. *Entomologists' Record and Journal of Variation*, **26**: 121-122
- Anon. (1914) Wicken Fen. *Entomologist*, **47**: 151 .
- Anon. (1914) Current notes and short notices. *Entomologists' Record and Journal of Variation*, **26**: 210

- Anon. (1916) Current notes and short notices. *Entomologists' Record and Journal of Variation*, **28**: 257
- Anon. (1916) Entomological Society of London. *Entomologists' Record and Journal of Variation*, **28**: 258
- Anon. (1918) Current notes and short notices. *Entomologists' Record and Journal of Variation*, **30**: 113
- Anon. (1919) Current notes and short notices. *Entomologists' Record and Journal of Variation*, **31**: 95
- Anon. (1922) Lancashire and Cheshire Entomological Society. *Entomologists' Record and Journal of Variation*, **34**: 58
- Anon. (1924) South London Entomological Society. *Entomologists' Record and Journal of Variation*, **36**: 129
- Anon. (1961) [Field meetings at Wicken Fen.]. *Nature in Cambridgeshire*, **4**: 15
- Anon. (1986) *Wicken Fen. An Illustrated Souvenir*. London, The National Trust.
- Anon. (1987) *Wicken Fen Trail Guide*. The National Trust.
- Appleby, G., Evans, C. & Vickers, T. (2007) *The National Trust Vision Area: an archaeological desktop assessment*. Cambridge Archaeological Unit, University of Cambridge. Report to The National Trust.
- Arnold, E.C. (1930) *A Bird Collector's Miscellany*. Eastbourne, Strange.
- Atkinson, R. (1996) The effect of reed cutting in Wicken Lode on the winter distribution and abundance of fish and macroinvertebrates. MS in Wicken Fen archive.
- Axton, R.P. (1972) Studies of long-tailed tits. *Wicken Fen Group*, **4**: 32-33
- Babington A.M. (Ed)(1897) *Memorials Journal and Botanical Correspondence of Charles Cardale Babington*. Cambridge, Macmillan & Bowes.
- Babington, C.C. (1857) *Senecio paludosus*. *Phytologist*, **NS**, **2**: 303
- Babington, C.C. (1860) *Flora of Cambridgeshire*. London, Van Voorst.
- Babington, C.C. (1863) *Sturmia loeselii* at Wicken Fen. *Journal of Botany*, **1**: 57
- Babington, C.C. (1867) On *Aster salignus* Willd. *Journal of Botany*, **5**: 367-369
- Baillie S.R. & Peach W.J. (1992) Population limitation in Palaearctic African migrant passerines. *Ibis supplement* **1**: 120-132
- Baker, R.E.D. (1936) The die-back of *Rhamnus frangula* on Wicken Fen. *Journal of Botany*, **24**: 110-111
- Baldwin, J. (1878) Lepidoptera. Chpt in *The Fenland Past and Present*. Eds S.H. Miller & S.B.J. Skertchly.
- Balfour-Browne, F. (1926) The aquatic Coleoptera of the Wicken Fen area, Cambridgeshire. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 261-214. Cambridge, Bowes & Bowes.
- Balfour-Browne, F. (1951) The aquatic Coleoptera of Woodwalton Fen, with some comparisons with Wicken Fen and some other East Anglian fens. *Transactions of the Society for British Entomology*, **10**: 233-268.
- Balfour-Browne, F. (1958) Origin of our British Swallowtail and Large Copper butterflies. *Entomologists' Record and Journal of Variation*, **70**: 33 .
- Ball, I. (1968) *Guides to Wicken Fen. No 6: The Freshwater Triclad of Wicken Fen*. The National Trust, Wicken Fen Local Committee.
- Barnett, S.F. & Green, R.E. (1972) Bird ticks. *Wicken Fen Group* **4**: 34-35
- Barnett, C.G. (1893-1907) *The Lepidoptera of the British Isles*. London, Reeve.
- Barratt, D.R., Mountford, J.O., Walker, K.J., Warman, E.A. & Sparks, T.H (1999) The effects of field elevation on the establishment of 'plug' plants introduced onto former arable land at Baker's Fen, Wicken Fen NNR. *Nature in Cambridgeshire* **41**: 58 - 64.
- Bateman, R.M., & Denholm, I. (1985) A reappraisal of the British and Irish dactylorchids, 2. The diploid marsh-orchids. *Watsonia*, **15**: 321-355.
- Beare, T.H. (1910) Coleoptera at Wicken Fen in September 1909. *Entomologists' Record and Journal of Variation*, **22**: 115-116.
- Beare, T.H. (1911) Retrospective for a Coleopterist. *Entomologists' Record and Journal of Variation*, **23**: 2-6 [*Olophorum nicholsoni* recorded]
- Beare, T.H. (1911) *Bledius crassicollis* Lac. at Wicken Fen. *Entomologists' Monthly Magazine*, **47**: 235
- Beare, T.H. (1922) *Hypera meles* F. and other Coleoptera in a lucerne field at Wicken. *Entomologists' Monthly Magazine*, **58**: 249 .
- Bedwell, E.C. (1932) *Eurygaster testudinaria* Geoff. at Wicken Fen. *Entomologists' Monthly Magazine*, **68**: 261

- Bedwell, E.C. (1938) Hemiptera Heteroptera. In: Imms, A.D. (ed) Victoria County History of Cambridgeshire and the Isle of Ely. Vol **1**: 96-103.
- Belcher, H., George, E. & Swale, E. (2006) Contributions towards a new algal flora of Cambridgeshire (vice-county 29). I. Phylum Euglenophyta. *Nature in Cambridgeshire* **48**: 24– 32.
- Bennett, A. (1898) Notes on Cambridgeshire plants. *Journal of Botany*, 27: 243-247.
- Bennett, A. (1898) Notes on Cambridgeshire plants. *Journal of Botany*, 36: 243-247.
- Bennett, A. (1899) *Senecio paludosus* and *S. palustris* in East Anglia. *Transactions of the Norfolk and Norwich Naturalists' Society*, **6**: 457-462.
- Bennett, A. (1902) *Liparis loeselii* and *Teucrium scordium* in England. *Transactions of the Norfolk and Norwich Naturalists' Society*, **7**: 333-336.
- Bennett, T.J. (1985) *The Butterflies of Wicken Fen: a current annotated checklist (June 1985)*. Wicken Fen, National Trust.
- Bennett, T. J. (1988) Butterflies and butterfly-watching in Cambridgeshire. *Nature in Cambridgeshire* **30**: 31-35
- Bennett, T.J. (1999) *Wicken Fen: trail guide to Wicken Sedge Fen*. Wicken, The National Trust.
- Benson, R.B. (1928) A preliminary account of the sawflies of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 313-323. Cambridge, Bowes & Bowes.
- Benson, R.B. (1932) Additions and corrections to the preliminary list of the sawflies of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 544-547. Cambridge, Bowes & Bowes.
- Bevis, Trevor (2004) *Visiting the Fens? Five special places: Wicken Fen, The Stretham Old Engine, Prickwillow Drainage Museum, Flag Fen Bronze Age Centre, Welney Wildfowl & Wetlands Trust*. ISBN 0901680745.
- Bharucha, F.R. (1930-31) Studies in Plant Ecology, I. The Succession of Vegetation on Wicken Fen (England). University of Cambridge, MSc thesis.
- Bibby, C.J. & Lunn, J. (1982) Conservation of reed-beds and their avifauna in England and Wales. *Biological Conservation* **23**: 167-186
- Bibby, C.J. (1968) Report on ringing at Wicken Fen in summer 1968. Wicken Fen Report **1**.
- Bibby, C.J. (1971) Survival of Reed and Sedge Warblers. *Wicken Fen Group* **3**: 19-23
- Bibby, C.J. (1973a) The mass coverage weekends. *Wicken Fen Group* **5**: 18-21
- Bibby, C.J. (1973b) Bullfinch survival and populations. *Wicken Fen Group* **5**: 25-27
- Bibby, C.J. (1974) Bearded Tits in Cambridgeshire and Huntingdonshire, 1972-74. *Cambridge Bird Club Report* **47**: 56-58
- Bibby, C.J. (1977) Observations on the moult of the Tree Sparrow. *Ringling & Migration* **1**: 148-157
- Bibby, C.J. (1981) Wintering Bitterns in Britain. *British Birds* **74**: 1-10
- Bibby, C.J. (1970a) Post-juvenile moult of the tree sparrow. *Wicken Fen Group*, **2**: 10-20.
- Bibby, C.J. (1970b) Population estimates and mist netting: an interim report. *Wicken Fen Group* **2**: 26-29.
- Bibby, C.J. (1971) Survival of reed and sedge warblers. *Wicken Fen Group*, **3**: 19-23.
- Bibby, C.J. (1973a) Bullfinch survival and populations. *Wicken Fen Group*, **5**: 25-27.
- Bibby, C.J. (1973b) Mass coverage weekends. *Wicken Fen Group*, **5**: 18-21.
- Bibby, C.J. (1973c) Nest boxes 1973. *Wicken Fen Group*, **5**: 38-40.
- Bibby, C.J. (1974) Bearded tits in Cambridgeshire and Huntingdonshire 1972-1974. *Cambridge Bird Club Report*, **47**: 56-58.
- Bibby, C.J. (1978) Sexual dimorphism in some passerines. *Wicken Fen Group*, **10**: 38-43.
- Bibby, C.J., Green, R.E., & Naylor, A.K. (1973) On Sylvia feeding. *Wicken Fen Group*, **5**: 11-15.
- Bidder, G.P. (1932) Fresh-water sponges of the Cam basin. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 637-643. Cambridge, Bowes & Bowes.
- Bingley, F.J., & Walters, S.M. (1966) *Guides to Wicken Fen. No 1: Wicken Sedge Fen, a topographical and botanical guide*. Wicken, National Trust Wicken Fen Committee.
- Bircham, P.M.M. (1970) Weight changes in the lesser redpoll. *Wicken Fen Group*, **2**: 32-33.
- Bircham, P.M.M. (1971) Population changes in the redpoll. *Wicken Fen Group*, **3**: 27-29.
- Bircham, P.M.M. (1972) Diurnal and seasonal weight changes of the redpoll. *Wicken Fen Group*, **4**: 30-31.
- Bircham, P.M.M. (1974a) The shape of tail feathers as an ageing technique in redpolls and reed buntings. *Wicken Fen Group*, **6**: 6-7.
- Bircham, P.M.M. (1974a) Management work, 1974. *Wicken Fen Group*, **6**: 22-23.
- Bircham, P.M.M. (1978) Migration and movements of birds ringed at Wicken: the first ten years. *Wicken Fen Group*, **10**: 22-28.
- Bircham, P.M.M. (1983) Standardised mist netting results 1982. *Wicken Fen Group*, **12**: 12-14.
- Bircham, P.M.M. (1989) *The Birds of Cambridgeshire*. Cambridge, University Press.

- Bircham, P.M.M. (2004) The breeding songbird population of Wicken Fen. *Nature in Cambridgeshire*, **46**: 82-84.
- Bishop, M.J. (1974) The Mollusca of Wicken Fen with some additional records. *Nature in Cambridgeshire*, **17**: 16-19.
- Bishop, M.J. (1981) Quantitative studies on some living British wetland mollusc faunas. *Biological Journal of the Linnean Society*, **15**: 299-326.
[Wicken Fen was amongst the field sites]
- Blest, A.D. (1956) A spider, *Glephesis servulus* (Simon), (Linyphiidae) new to Britain, with some notes on some other species. *Annals and Magazine of Natural History* ser **12**, **9**, 799-804.
- Bloom, A. (1944) *The Farm in the Fen*. London, Faber & Faber.
- Bond, F.J. (1851) Captures of Lepidoptera at Hornsey, Wicken and Burwell Fen, between June 8th and July 1st, 1850. *Zoologist*, **9**: 3011-3013.
- Boston, F.M. (1956) Savi's warbler in Cambridgeshire. *British Birds*, **49**: 326-327.
- Bouskell, F. (1893) *Oberea oculata* at Wicken. *Entomologists' Record and Journal of Variation*, **4**: 272
- Bouskell, F. (1893) Wicken Fen. *Entomologists' Record and Journal of Variation*, **4**: 280-281.
- Brady, L.S. (1895-96) Lyndhurst and Wicken. *Entomologists' Record and Journal of Variation*, **7**: 65-67.
- Branson, N.J.B.A. (1970) Accurate weighing. *Wicken Fen Group*, **2**: 30-31.
- Briggs D., Block M. & Jennings S. (1989) The possibility of determining the age of colonies of clonally propagating herbaceous species from historic records: the case of *Aster novi-belgii* L. (first recorded as *A. salignus* Willd.) at Wicken Fen Nature Reserve, Cambridgeshire. *New Phytologist* **112**: 577-584
- Brindley, H.H. (1904) The Mollusca of Cambridgeshire. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley, 114-138. Cambridge, University Press.
- Brindley, H.H. (1925) The Mollusca of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 154-161. Cambridge, Bowes & Bowes.
- Bristowe, W.S. (1925) The spiders and harvestmen of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 104-115. Cambridge, Bowes & Bowes.
- Bristowe, W.S. (1929) The spiders of Cambridgeshire. *Entomologist*, **62**: 115 .
- Bristowe, W.S. (1929) *Fauna List 2. The Spiders of Cambridgeshire, including Harvest Spiders and Pseudo-scorpions*. Cambridge, Cambridge Natural History Society.
- Bristowe, W.S. (1939) *The Comity of Spiders, Vol 1*. London, Ray Society.
- Brooke, M. de L. & Davies, N.B. (1987) Recent changes in host usage by Cuckoos *Cuculus canorus* in Britain. *Journal of Animal Ecology* **56**: 873-883
- Brooke, M. de L. & Davies, N.B. (1988) Egg mimicry by Cuckoos *Cuculus canorus* in relation to discrimination by hosts. *Nature* **335**: 630-632
- Brooke, M. de L. & Davies, N.B. (1989) Provisioning of nestling Cuckoos *Cuculus canorus* by Reed Warbler *Acrocephalus scirpaceus* hosts. *Ibis* **131**: 250-256
- Brooke, M.D., Davies, N.B. & Noble, D.G. (1998) Rapid decline of host defences in response to reduced cuckoo parasitism: behavioural flexibility of reed warblers in a changing world. *Proceedings Royal Society of London, Series B: Biol. Sci.* **265**: 1277-1282.
- Brooke, M. de L. & Hiroshi Nakamura, H (1998) The acquisition of host-specific feather lice by common cuckoos (*Cuculus canorus*). *Journal of Zoology* **244**: 167-173
[includes references to Cuckoos at Wicken Fen]
- Brown, J. (1847) Nest of Savi's Warbler near Cambridge. *Zoologist* **5**: 1807
- Brown, M.R. (1936) The infection of *Rhamnus* species at Wicken Fen by the aecidial stages of *Puccinia coronata* Corda. *Journal of Botany*, **24**: 112-113.
- Bryden, J.W. & Bishop, M.W.H. (1944) *Perilitus coccinellae* (Schrank) (Hym. Braconidae) in Cambridgeshire. *Entomologists' Monthly Magazine*, **81**: 51-52.
- Buckland, S.T. & Baillie, S.R. (1987) Estimating bird survival rates from organised mist netting programmes. *Acta Ornithologica* **23**: 89-100
- Burgess, N.D. & Evans, C.E. (1988) *The management of reed-beds for birds*. Management Case Study. Sandy, RSPB
- Burr, M. (1904) The Orthoptera of Cambridgeshire. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley, 142-144. Cambridge, University Press.
- Burrows, C.N.R. (1902) British Lepidoptera in 1902. *Entomologists' Record and Journal of Variation*, **14**: 284-287.
- Burton, J.F. (1983) Britain's oldest nature reserve - Wicken Fen. *Country Life*, 28 April 1983, 1129-1130.

- Butterfield, J.A. (1900) Lepidoptera at Wicken in 1899. *Entomologists' Record and Journal of Variation*, **12**: 51
- Cadbury, C.J. (1983) Survey of Breeding Wildfowl and Waders of Wet Grasslands in Cambridgeshire, 1980 and 1982. *Cambridge Bird Club Report* for 1982 **56**: 28-34.
- Cadbury, C.J. (2001) Dwarf stonewort re-appears at Wicken Fen. *Nature in Cambridgeshire*, **43**: 34-35.
- Cadbury, C.J., Green, R.E. & Allport, G. (1987) Redshanks and Other Breeding Waders of British Saltmarshes. *RSPB Conservation Review* **1**: 37-40
- Cambridgeshire and Isle of Ely County Planning Department (1965) *Survey Report: Nature Reserves and Sites of Scientific Interest*. Cambridge, Cambridgeshire and Isle of Ely County Council.
- Cambridgeshire County Planning Department (1956) *The Common Lands of Cambridgeshire*. Cambridge, Cambridgeshire County Council.
- Cameron, L. (1999) Histories of disturbance. *Radical History Review* **74**: 4-24.
- Cantabrigia Depicta (1763) *A Concise and accurate description of the University and town of Cambridge, and its environs*. Cambridge, J. Bentham, for W. Thurlbourn & J. Woodyer.
- Carrington, J.T. (1880) Localities for beginners. No 8 - Wicken. *Entomologist*, **13**: 169-177
- Carrington, J.T. (1881) Lepidoptera at Wicken Fen. *Entomologist*, **14**: 158
- Carrington, J.T. (1895) Preservation of our flora and fauna. *Science-Gossip*, **NS 2**: 169
- Chalmers-Hunt, J.M. (1966) Early photograph taken at Wicken Fen, Cambs., with notes on its associations. *Entomologists' Record and Journal of Variation*, **78**: 298
- Chance, E.P. (1940) *The Truth About The Cuckoo*. London, Country Life.
- Chapman, T.A. (1900) Notes on collecting, etc. *Entomologists' Record and Journal of Variation*, **12**: 104
- Chapman, T.A. (1914) *Acronycta (Hyboma) strigosa* in Wicken Fen. *Entomologist* **47**: 218-219.
- Charity Commissioners (1837-38) *31st Report, Vol 1*. London, Charity Commissioners.
- Chitty, A.J. (1903) *Trechus rivularis* Gyll. from Wicken Fen. *Entomologists' Record and Journal of Variation*, **15**: 152
- Christy, W.M. (1891) Collecting in Cambs. and Suffolk. *Entomologist*, **24**: 218-219.
- Clapham, A.R., Tutin, T.G. & Moore, D.M. (1987) *Flora of the British Isles*. 3rd edn. Cambridge, University Press.
- Clarke, R. (1986) Hen Harrier Winter Roost Survey in Cambridgeshire. *Cambridge Bird Club Report* for 1985. Vol. **59**: 44-48
- Cockayne, E.A. (1931) Notes on the larva of *Macrogaster (Phragmataecia) arundinis*, Hb. *Proceedings and Transactions of the South London Entom. Nat. Hist. Soc.* **1930-31**: 64-66. [larva collected at Wicken Fen]
- Cockayne, E.A. (1950) It happened at *Entomologist's Gazette* **1**: 157-158 [includes story of collecting at Wicken]
- Collin, J.E. (1904) The Diptera of Cambridgeshire. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley, 173-180. Cambridge, University Press.
- Collin, J.E. (1961) *British Flies. Vol 6. Empididae*. Cambridge, University Press.
- Colston, A. (1997) Conserving wildlife in a black hole. *ECOS* **18**: 61-67.
- Colston, A. & Key, R. (1999) *Anoplodera rubra* (L.) (Cerambycidae) new to Cambridgeshire and rediscovered in Lincolnshire. *The Coleopterist* **8**: 40-41
- Colston, A. (1998) A provisional atlas of bush-crickets, grasshoppers and allied insects in 'old' Cambridgeshire. *Nature in Cambridgeshire*, **40**: 20-36.
- Colston, A. (1998) The range expansion of *Metriopectera roeselii* Hagenbach (Orthop., Tettigonidae) in Cambridgeshire and Huntingdonshire. *Entomologist's Monthly Magazine* **134**: 353
- Colston, A. (2004) Wicken Fen – realising the Vision. *Ecos* **25**: 42 - 45
- Colston, A & Friday, L.E. (1999) Wicken Fen – 100 years either side of the Millennium. *Nature in Cambridgeshire* **41**: 46 - 57
- Convey, P. (1987) *Influences on mating behaviour and reproductive success in the Odonata*. PhD thesis, University of Cambridge.
- Convey, P. (1989) Influences on the choice between territorial and satellite behaviour in male *Libellula quadrimaculata* Linn. (Odonata: Libellulidae). *Behaviour* **109**: 125-141
- Conway, V.M. (1936). Studies in the autecology of *Cladium mariscus* R. Br. PhD thesis, University of Cambridge.
- Conway, V.M. (1936a) Studies in the autecology of *Cladium mariscus* R. Br., I. Structure and development. *New Phytologist*, **35**: 177-204.

- Conway, V.M. (1936b) Studies in the autecology of *Cladium mariscus* R. Br., II. Environmental conditions at Wicken fen, with special reference to soil temperatures and the soil atmosphere. *New Phytologist*, **35**: 359-380.
- Conway, V.M. (1937) Studies in the autecology of *Cladium mariscus* R. Br., III. The aeration of the subterranean parts of the plant. *New Phytologist*, **36**: 64-96.
- Conway, V.M. (1938a) Studies in the autecology of *Cladium mariscus* R. Br., IV. Growth rate of the leaves. *New Phytologist*, **37**: 254-278.
- Conway, V.M. (1938b) Studies in the autecology of *Cladium mariscus* R. Br., V. The distribution of the species. *New Phytologist*, **37**: 312-328.
- Conway, V.M. (1942) Biological flora of the British Isles. *Cladium mariscus* (L.) R. Br. *Journal of Ecology*, **30**: 211-216.
- Cook, A. & Harding, M. (2005). *An evapotranspiration-groundwater water balance for Wicken Fen*. Ecology, Land and People, Report for The National Trust, Wicken Fen.
- Coombe, D. (1977) Air photography and plant ecology. In: *The Uses of Air Photography*. 2nd Edition, ed. by J.K.S. St Joseph, 86-102. London, Baker.
- Cooper, J.O. (1925) The higher Crustacea. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 140-153. Cambridge, Bowes & Bowes.
- Cooper, J.O. (1930) *Gyrinus colymbus* Er. in Cambridgeshire. *Entomologists' Monthly Magazine*, **66**: 42-43.
- Cooper, J.O. & Tottenham, C.E. (1932) The Coleoptera of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 489-538. Cambridge, Bowes & Bowes.
- Cooper, J.O. & Tottenham, C.E. (1934) Coleoptera taken in the air at Wicken Fen. *Entomologists' Monthly Magazine*, **70**: 231-234.
- Cooper, J.O., Perkins, M.G.L. & Tottenham, C.E. (1928) The Coleoptera of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 267-295. Cambridge, Bowes & Bowes.
- Corbet, S.A., Perrin, R.M.S., Hartley, D.R., Lancashire, P.D., Mace, H.A.F., McClay, A.S., Morton, J.R., Parfitt, R.E., Reid, D.G., Tomiak, R.H.H., Wheatley, K., Willmer, P.G. & Willows, R.I. (1980) Diel changes in plankton and water chemistry in Wicken brickpit. *Hydrobiologia* **74**: 249-271
- Corbet, S.A., Cuthill, I., Fallows, M., Harrison, T. & Hartley, G. (1981) Why do nectar-foraging bees and wasps work upwards on inflorescences? *Oecologia (Berl.)* **51**: 79-83.
- Corbet, S.A., Kerslake, C.J.C., Brown, D. & Morland, N.E. (1984) Can bees select nectar-rich flowers in a patch? *Journal of Apicultural Research*, **23**: 234-242.
- Corner, E.J.H. (1934) The fungi of Wicken Fen, Cambridgeshire. *Transactions of the British Mycological Society*, **19**: 280-287.
- Cowie, N.R., Sutherland, W.J., Dithlago, M.K.M. & James, R. (1992) The effect of conservation management of reed-beds. II The flora and litter disappearance. *Journal of Applied Ecology* **29**: 277-284
- Cowley, J. (1936) Notes on British Odonata in 1934 and 1935. *The Entomologist*, **69**: 149-153
- Coxley, J. (1934) *Aeschna mixta* Latr. at Wicken Fen. *Entomologists' Monthly Magazine*, **70**: 43
- Crocker, J. (1967) Spiders collected at Wicken Fen, Cambridgeshire on 7-9-66. *British Spider Study Group Bulletin*, **34**: 10-11.
- Crompton, G. (1997) Botanizing in Cambridgeshire in the 1820s. *Nature in Cambridgeshire* **39**: 59-73
- Crompton, G. & Whitehouse, H.L.K. (1983) *A Checklist of the Flora of Cambridgeshire*. Published privately.
- Crotch, G.R. (1861) Capture of *Sphaerius acaroides*, *Hydrochus carinatus* etc in the Fens. *Zoologist* **19**: 7724. [*Sphaerius acaroides* = *Microsporus acaroides* was taken at Wicken & Quy Fens]
- Darby, H.C. (1940) *The Medieval Fenland*. Cambridge.
- Darby, H.C. (1940) *The Drainage of the Fens*. Cambridge.
- David, R.W. (1990) The distribution of *Carex appropinquata* Schumacher (*C. paradoxa* Willd.) in Great Britain and Ireland. *Watsonia* **18**: 201-4
- Davies, N.B., Green, R.E. & Watmough, B.R. (1971) Sylvia warblers at Wicken Fen. *Wicken Fen Group*, **3**: 11-16.
- Davies, N.B. & Green, R.E. (1976) The development and ecological significance of feeding behaviour techniques in the Reed Warbler. *Animal Behaviour* **24**: 213-229
- Davies, N.B. & Brooke, M. de L. (1988) Cuckoos versus Reed Warblers: adaptations and counteradaptations. *Animal Behaviour* **36**: 262-284
- Davies, N.B. & Brooke, M. de L. (1989a) An experimental study of co-evolution between the Cuckoo *Cuculus canorus* and its hosts. I. Host egg discrimination. *Journal of Animal Ecology* **58**: 207-224

- Davies, N.B. & Brooke, M. de L. (1989b) An experimental study of co-evolution between the Cuckoo, *Cuculus canorus*, and its hosts. II. Host egg markings, chick discrimination and general discussion. *Journal of Animal Ecology* **58**: 225-236
- Davies, N.B. & Brooke, M. de L. (1991) Co-evolution of the Cuckoo and its hosts. *Scientific American* **264**: 66-73
- Davies, N.B., Brooke, M. de L. & Kacelnik, A. (1996) Recognition errors and probability of parasitism determine whether reed warblers should accept or reject mimetic cuckoo eggs. *Proceedings of the Royal Society of London B* **263**: 925-931.
- Davies, N.B., Madden, J.R. & Butchart, S.H.M. (2004). Learning fine-tunes a specific response of nestlings to the parental alarm calls of their own species. *Proceedings of the Royal Society of London B* **271**: 2297-2304.
- Dawson, N. (1957) *The ecology of Fenland Carabidae*. PhD thesis, University of Cambridge.
- Dawson, N. (1965) A comparative study of the ecology of eight species of Fenland Carabidae (Coleoptera). *Journal of Animal Ecology* **34**: 299-314
- Day, J. (1988) Marsh Harriers in Britain. *RSPB Conservation Review* **2**: 17-19
- Day, J.C.U. (1981) Status of Bitterns in Europe since 1976. *British Birds* **74**: 10-16
- Day, A. (1985) *Turf Village: Peat Diggers of Wicken*. Cambridge, Cambridgeshire Libraries and Information Service.
- Day, J.W. (1954) *A History of the Fens*. London, Harrap.
- Dempster, J.P. (1976) The swallowtail butterfly at Wicken Fen. *Nature in Cambridgeshire*, **19**: 11-14.
- Dempster, J.P. (1995) The ecology and conservation of the Swallowtail butterfly (*Papilio machaon* L.) in Britain. In: Pullin A.S. (ed.) *Ecology and Conservation of Butterflies*. pp 137-149. London, Chapman & Hall.
- Dempster, J.P., & Hall, M.L. (1980) An attempt at re-establishing the swallowtail butterfly at Wicken Fen. *Ecological Entomology*, **5**: 327-334.
- Dempster, J.P., King, M.L., & Lakhani, K.H. (1976) The status of the swallowtail butterfly in Britain. *Ecological Entomology*, **1**: 71-84.
- [museum collections of swallowtails showed that the isolated population at Wicken had developed smaller wings & narrower thorax associated with reduced flight capacity]
- Disney, R.H.L. & Perry, I. (2000) A new species of *Megaselia* from Cambridgeshire (Diptera: Phoridae). *Dipterists Digest* **7**: 5-7 [A new to science species *Megaselia winkenensis*, collected at Wicken Fen]
- Ditlhogo, M.K.M., James, R., Laurence, B.R. & Sutherland, W.J. (1992) The effect of conservation management of reed-beds. I. The invertebrates. *Journal of Applied Ecology* **29**: 265-276
- Dixon-Scott, J. (1937) *England Under Trust*. London, Alexander Maclehose.
- Donisthorpe, H. (1898) The Coleoptera of Wicken Fen and District. *Entomologists' Record and Journal of Variation*, **10**: 37-42.
- Donisthorpe, H. (1899) Coleoptera at Wicken in 1899. *Entomologists' Record and Journal of Variation*, **11**: 339-340.
- Donisthorpe, H. (1899) Rare Coleoptera in 1899. *Entomologists' Record and Journal of Variation*, **11**: 340
- Donisthorpe, H. (1900) *Myrmedoica collaris* Payk. with *Myrmica laevinodis* at Wicken. *Entomologists' Record and Journal of Variation*, **12**: 263 [Note *Mc* = *Zyras collaris*]
- Donisthorpe, H. (1909) Wicken Fen re-visited. *Entomologists' Record and Journal of Variation*, **21**: 231
- Donisthorpe, H. (1935) Wicken revisited. *Entomologists' Record and Journal of Variation*, **47**: 1-3, 13-14, 20, 45. [a range of taxa listed in these pages]
- Donisthorpe, H. (1946) *Psectra diptera* (Burm.) (Neur. Hemerobiidae) in Cambridgeshire. *Entomologists' Monthly Magazine*, **82**: 191
- Donisthorpe, H. (1947) Coleoptera at Wicken Fen, etc. *Entomologists' Record and Journal of Variation*, **59**: 114 - 115.
- Donisthorpe, H. (1947) *Dorytomus filirostris* Gyll. (Col. Curculionidae) at Wicken Fen, Cambs. *Entomologists' Monthly Magazine*, **83**: 127 .
- Donisthorpe, H.J.K. (1904) The Coleoptera of Cambridgeshire. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley, 155-160. Cambridge, University Press.
- Drake, C.M. (1999) Two rare flies in Cambridgeshire, *Ochthera manicata* (Fabricius) and *Thrypticus cuneatus* (Becker)(Diptera, Ephydriidae and Dolichopodidae). *Dipterists Digest* **6**: 40 – 42. [Ochthera manicata taken at Wicken]

- Drane, A.B. (1978) *Cossonus linearis* (F.) and *C. parallelepipedus* (Herbst) (Col., Curculionidae) occurring together in a willow at Wicken Fen Nature Reserve, Cambs. *Entomologist's Monthly Magazine*, **114**: 200.
- Drane, A.B. & Marsh, R.J. (2006) *Cryptophagus schmidti* Sturm (Cryptophagidae) at two Yorkshire sites and a summary of the British records. *The Coleopterist* **15**: 65-67
[includes reference to Champion's 1870 Wicken Fen record of this rare beetle]
- Duckworth, J.W. (1990) *Parental care in the Reed Warbler*. PhD thesis, University of Cambridge.
- Duckworth, J.W. (1991) Responses of breeding Reed Warbler, *Acrocephalus scirpaceus* to mounts of Sparrowhawk *Accipiter nisus*, Cuckoo *Cuculus canorus* and Jay *Garrulus glandarius*. *Ibis* **133**: 68-74
- Duffey, E. (1968) Ecological studies on the large copper butterfly. *Journal of Applied Ecology*, **5**: 69-96.
- Duffey, E. (1970) *Guides to Wicken Fen. No 7: The Spiders of Wicken Fen*. Wicken, National Trust: Wicken Fen Local Committee.
- Duffey, E. (1973) A note on comparative invertebrate survey: the spider faunas of Wicken and Woodwalton Fens. *Nature in Cambridgeshire*, **16**: 13-19.
- Eagle, D.M. (1994) *Grouping behaviour as a defence against predation in whirligig beetles*. PhD thesis, University of Cambridge.
- Eastham, L.E.S. (1932) Wicken Fen fauna - a review. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 630-636. Cambridge, Bowes & Bowes.
- Easy, G.M.S. (1967) Bearded tit in Cambridgeshire. *Nature in Cambridgeshire*, **10**: 27-28.
- Easy, G.M.S. & Kirtland, C.A.E. (1967) *Guides to Wicken Fen. No. 4: Birds of Wicken Fen*. Wicken, National Trust: Wicken Fen Local Committee.
- Edelston, H.M. (1937) *Papilio machaon*. *Entomologist*, **70**: 138 .
- Edwards, F.W. (1907) Capture of *Orthosia ocellaris* Bark. and other species in Cambridge. *Entomologists' Monthly Magazine*, **43**: 255 .
- Edwards, F.W. (1907) Captures of Lepidoptera in Cambridgeshire. *Entomologist*, **40**: 257
- Edwards, F.W. (1929) British non-biting midges (Diptera, Chironomidae). *Transactions of the Entomological Society of London*, **77**: 279-430.
- Eedle, Mr. (1878) On the disappearance of *Orygia coenosa* from Wicken Fen. *Entomologist*, **11**: 212
- Ellis, A.E. (1931) Mollusca of Wicken Fen. *Journal of Conchology*, **19**: 170
- Emmet, A.M. (1968) *Cosmopteryx druryella* Zell. at Wicken Fen (Lep., Cosmopterygidae). *Entomologist*, **80**: 227-228.
- Emmet, A.M. (1969) Discovery of the larva of *Sorhagenia rhamniella* Zeller. *Entomologist*, **81**: 20-21.
- Emmet, A.M. (1969) Discovery of the larva of *Ancyliis paludana* Barrett. *Entomologist*, **81**: 21-22.
- Emmet, A.M. (1970) *Dechtiria turbidella* Herrich-Schaffer (*marionella* Ford) at Wicken Fen (Lep. Nepticulidae). *Entomologists' Record and Journal of Variation*, **82**: 37-41.
- Emmet, A.M. (1970) *Stigmella (Nepticula) paradoxa* Frey (*nitidella* Heinemann) (Lep. Nepticulidae) - a species new to Britain. *Entomologists' Record and Journal of Variation*, **82**: 161-165.
- Emmet, A.M. (1970) *Stigmella (Nepticula) ulmariae* Wocke (Lep. Nepticulidae) re-established as a British species. *Entomologists' Record and Journal of Variation*, **82**: 161-165.
- Emmet, A.M. (1972) Presidential address: Wicken Fen with special reference to its Microlepidoptera. *Proceedings and Transactions of the British Entomological and Natural History Society*, **5**: 44-74.
- Emmet, A.M. (1972) Wicken Fen, Cambs - field meeting 6th June 1971. *Proceedings and Transactions of the British Entomological and Natural History Society*, **4**: 121 .
- Emmet, A.M. (1972) *Guides to Wicken Fen. No. 9: Microlepidoptera, an annotated checklist*. Wicken, National Trust.
- Emmet, A.M. (1973) The Microlepidoptera of Wicken Fen - supplement for 1972. *Proceedings and Transactions of the British Entomological and Natural History Society*, **6**: 16-17.
- Emmet, A.M. (1973) Wicken Fen, Cambridgeshire - field meeting 23rd September 1972. *Proceedings and Transactions of the British Entomological and Natural History Society*, **6**: 63 .
- Emmet, A.M. (1976) Wicken Fen, Cambridgeshire - field meeting 23rd September 1975. *Proceedings and Transactions of the British Entomological and Natural History Society*, **9**: 61
- Ennion, E.A.R. (1942) *Adventurers' Fen*. 1st edition. London, Methuen.
- Ennion, E.A.R. (1949) *Adventurers' Fen*. London, Herbert Jenkins.
- Evans, A.H. (1904) The birds of Cambridgeshire. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley , 75-99. Cambridge, University Press.
- Evans, A.H. (1911) A short flora of Cambridgeshire, chiefly from an ecological standpoint, with a history of its chief botanists. *Proceedings of the Cambridge Philosophical Society*, **16**: 197-284.

- Evans, A.H. (1911) The flora of the Fenland, as compared with that of the bogs, marshes and mosses of Scotland. *Transactions of the Edinburgh Botanical Society*, **24**: 164-170.
- Evans, A.H. (1923) The fens of the Great Level, their drainage, and its effect on the flora and fauna. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner and A.G. Tansley, 3-49. Cambridge, Bowes & Bowes.
- Evans, A.H. (1923) A full list of plants growing in the old fenland at Wicken. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner and A.G. Tansley, 50-51. Cambridge, Bowes & Bowes.
- Evans, A.H. (1925) Wicken and Burwell Fens fifty years ago and now. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 87-91. Cambridge, Bowes & Bowes.
- Evans, A.H. (1939) *A Flora of Cambridgeshire*. London, Gurney and Jackson.
- Everett M.J. (1989) Reedbeds - a scarce habitat. *RSPB Conservation Review* **3**: 14-19
- Falconer, W. (1912) The spiders of Wicken, Cambridge. *Naturalist*, **1912**, 310-324.
- Falconer, W. (1915) The spiders of Wicken, with descriptions of two new species. *Naturalist*, **1915**, 201-204 and 225-230.
- Falconer, W. (1919) Additions to the "Spiders of Wicken". *Naturalist*, **1919**, 356 .
- Falk S.J. (1991) A review of the scarce and threatened flies of Great Britain. Part 1. (Research and Survey in Nature Conservation no. 39). Peterborough, Nature Conservancy Council.
- Farn, A.B. (1916) *Bankia argentula* in Wicken Fen. *Entomologist*, **49**: 37-38.
- Farren, W. (1886) Tineae taken near Cambridge. *Entomologist*, **19**: 78-93.
- Farren, W. (1886) Tortrices taken near Cambridge. *Entomologist*, **19**: 107-110.
- Farren, W. (1891) Notes of the season - Cambridge, etc. *Entomologists' Record and Journal of Variation*, **2**: 134 .
- Farren, W. (1891) The Wicken form of *Eupaecilia vectisana*. *Entomologists' Record and Journal of Variation*, **2**: 258-259
- Farren, W. (1892) A red letter night on Wicken Fen. *Entomologists' Record and Journal of Variation*, **3**: 156-157.
- Farren, W. (1904) The Hemiptera of Cambridgeshire. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley, 150-154. Cambridge, University Press.
- Farren, W. (1904) The insects of Cambridgeshire. Introduction. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley, 139-141. Cambridge, University Press.
- Farren, W. (1904) The Lepidoptera of Cambridgeshire. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley, 161-172. Cambridge, University Press.
- Farren, W. (1923) The Lepidoptera of Cambridgeshire. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner and A.G. Tansley, 53-64. Cambridge, Bowes & Bowes.
- Farren, W. (1926) Memories of Wicken. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 173-189. Cambridge, Bowes & Bowes.
- Farren, W. (1926) A list of Lepidoptera of Wicken and the neighbouring fens. In: *The Natural History of Wicken Fen, part III*. Ed. by J.S. Gardiner, 258-266. Cambridge, Bowes & Bowes.
- Farren, W.S. (1926) A note on the levels of the Fens around Wicken. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 190-197. Cambridge, Bowes & Bowes.
- Fearnside, W.G. (1904) The geology of Cambridgeshire. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley, 9-50. Cambridge, University Press.
- Fedden, R. (1968) *The Continuing Purpose: a History of the National Trust, Its Aims and Work*. London, Longman, Green & Co..
- Fitter, R. (1960) Re-establishing the swallowtail. *Observer*, 11 Sept. 1960, p31 .
- Flowerdew, J.R. (1980) *Guides to Wicken Fen. No. 11: The Mammals of Wicken Fen*. Wicken, National Trust: Wicken Fen Local Committee.
- Flowerdew, J.R., Hall, S.J.G. & Brown, J.C. (1977) Small rodents, their habitats, and the effects of flooding at Wicken Fen. *Journal of Zoology*, **182**: 323-342.
- Fojt, W. (1994) The conservation of British Fens. *British Wildlife* **5**: 355-366
- Ford, G.A. (1958) The 1957 season in Cambridgeshire. *Entomologists' Record and Journal of Variation*, **70**: 166 .
- Ford, G.A. (1958) Collecting in 1958. *Entomologists' Record and Journal of Variation*, **70**: 295-298.
- Ford, G.A. (1961) The marsh carpet, *Coenotephria sagittata* (Fabr.). *Nature in Cambridgeshire*, **4**: 38-39.
- Foster, J.E. (ed.) (1905) Churchwardens' Accounts of St. Mary the Great, Cambridge from 1504 to 1635. Cambridge.

- Fowler, G. (1933) Fenland waterways, past and present; South Level District, Part 1. *Cambridge Antiquarian Society Proceedings and Communications*, **33**: 108-128.
- Fox, A.D. & Salmon, D.G. (1989) The winter status and distribution of gadwall in Britain and Ireland. *Bird Study* **36**: 37-44
- Friday, L.E. (1988) *Utricularia vulgaris*, an aquatic carnivore at Wicken Fen. *Nature in Cambridgeshire* **30**: 50-54
- Friday, L.E. (1989) Rapid turnover of traps in *Utricularia vulgaris* L. *Oecologia* **80**: 272-277
- Friday, L.E. (1990) Sixty years of water beetle records at Wicken Fen, Cambs., England. *Balfour-Browne Club Newsletter* **46**: 11-13
- Friday, L.E. (1991) The size and shape of traps of *Utricularia vulgaris* L. *Functional Ecology* **5**: 602-607
- Friday, L.E. (1992) Measuring investment in carnivory: seasonal and individual variation in trap number and biomass in *Utricularia vulgaris* L. *New Phytologist* **121**: 439-445
- Friday, L.E. (1994) Wicken Fen: the management of a nature reserve. In: Harrison R. (ed.) *Manual of Heritage Management*. pp. 135-139. Oxford, Butterworth Heinemann.
- Friday, L.E. (1994) Reports of the Wicken Fen Local Management Committee 1990-1992. *Nature In Cambridgeshire* **36**: 84-87
- Friday, L.E. (1988) *Utricularia vulgaris*, an aquatic carnivore at Wicken Fen. *Nature in Cambridgeshire*, **30**: 50-54.
- Friday, L.E. (Ed.)(1998) *Wicken Fen - the making of a wetland nature reserve*. Harley Books, Colchester.
- Friday, L.E. & Harley, B. (Eds.)(2000) *Checklist of the Flora and Fauna of Wicken Fen*. Harley Books, Colchester.
- Friday, L.E. & Ballard, S.M. (1997) Wicken Fen, June 13, 1923: an annotated extract from the diary of Robert Gurney. *Nature in Cambridgeshire* **39**: 74-81
- Friday, L.E. & Majerus, M.E.N. (1990) Beetles at light at Wicken Fen. *Balfour-Browne Club Newsletter* **47**: 9-10
- Friday, L.E. & Quarmby, C. (1994) Uptake and translocation of prey-derived ^{15}N and ^{32}P in *Utricularia vulgaris* L. *New Phytologist* **126**: 273-281
- Friday L.E., Grubb P.J. & Coombe D.C. (1999) The Godwin Plots at Wicken Fen: a 55-year record of the effects of mowing on fen vegetation. *Nature in Cambridgeshire* **41**: 33 - 46
- Fryer, H.F. (1913-14) Coleoptera in Cambridgeshire and Huntingdonshire. *Entomologists' Monthly Magazine*, **49**: 246-250 and 266-268
- Fryer, H.F. (1914) Coleoptera in Cambridgeshire and Huntingdonshire. [Cont.]. *Entomologists' Monthly Magazine*, **50**: 10-13 and 85-88 and 109-111
- Fryer, J.B. (1885) *Carex appropinquata* (as *paradoxa*) in Cambs. *Journal of Botany*, **23**: 221 .
- Gambles, R.M. (1932) The Psocoptera of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 567-579. Cambridge, Bowes & Bowes.
- Gambles, R.M. & Kerrich, G.J. (1932) Notes on the Neuroptera, Mecoptera and Strepsiptera. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner , 583-584. Cambridge, Bowes & Bowes.
- Gardiner, B.O.C. (1955) Notes on the 1955 season in Cambridge. *Entomologists' Record and Journal of Variation*, **67**: 309-311.
- Gardiner, B.O.C. (1957) Notes on the 1956 season in Cambridgeshire. *Entomologists' Record and Journal of Variation*, **69**: 35 .
- Gardiner, B.O.C. (1958) Some recent observations on the Lepidoptera of Wicken Fen. *Entomologist*, **91**: 132-134.
- Gardiner, B.O.C. (1958) Cambridgeshire's changing Lepidoptera. *Nature in Cambridgeshire*, **1**: 21-24.
- Gardiner, B.O.C. (1959) Lepidoptera records. *Nature in Cambridgeshire*, **2**: 35 .
- Gardiner, B.O.C. (1960) Swallowtails for Wicken. *Countryman*, **57**: 294-298.
- Gardiner, B.O.C. (1961) *Hadena compta* Schiff. and *Ennomos autumnaria* Wernb. in Cambridgeshire. *Entomologists' Record and Journal of Variation*, **73**: 51 .
- Gardiner, B.O.C. (1961) The Pyraloidea of Cambridgeshire and Huntingdonshire. *Entomologists' Gazette*, **12**: 173-192.
- Gardiner, B.O.C. (1963) Notes on the breeding and biology of *Papilio machaon* L. *Proceedings of the Royal Entomological Society of London (A)* **38** (10-12): 206-211.
- Gardiner, J.S. (1928) Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 371-383. Cambridge, Bowes & Bowes.
- Gardiner, J.S. (1932) *A Guide to Wicken Fen*. London, National Trust.

- Gardiner, J.S. (1932) Preface. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, i-viii. Cambridge, Bowes & Bowes.
- Gardiner, J.S. (1932) Omissions and additions. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 644-648. Cambridge, Bowes & Bowes.
- Gardiner, J.S. (1937) *A Guide to Wicken Fen. Second edition*. London, National Trust.
- Gardiner, J.S. (ed.) (1925-1932) *The Natural History of Wicken Fen. Vols 2-6*. Cambridge, Bowes & Bowes.
- Gardiner, J.S., & Tansley, A.G. eds. (1923) *The Natural History of Wicken Fen. Vol. 1*. Cambridge, Bowes & Bowes.
- Gaze, J. (1988) *Figures in a Landscape. A History of the National Trust*. , Barrie & Jenkins.
- Geltman, D.V. (1992) *Urtica galeopsifolia* Wierzb. ex Opiz (Urticaceae) in Wicken Fen (E. England). *Watsonia* **19**: 127-129
- George, E.A. (1963) The diatoms of Wicken Fen and Hayley Wood. *Nature in Cambridgeshire*, **6**: 39-42.
- George, E.A. (1965) Cambridgeshire fleas in 1964. *Entomologists' Gazette*, **16**: 138-140.
- Gibbons, D.W., Reid, J.B. & Chapman, R.A. (1993) *The New Atlas of Breeding Birds in Britain and Ireland: 1988-1991*. London, T. & A.D. Poyser
- Gibson, G.S. (1848) Botanical notes for 1848. *Phytologist*, **3**: 308-310.
- Gilman, K. (1988) *The Hydrology of Wicken Fen*. Final Report. Llanbrynmair, Institute of Hydrology.
- Gilmour, J. & Walters, S.M. 1954. *Wild Flowers*. London, Collins.
- Godwin, H. (1985) Cambridge and Clare. Cambridge, University Press.
- Godwin, H. (1929) The "sedge" and "litter" of Wicken Fen. *Journal of Ecology*, **17**: 148-160.
- Godwin, H. (1930) *Guide to Wicken Fen: for use on the excursion arranged for Sunday 17th August for the Fifth International Botanical Congress, Cambridge 1930*.
- Godwin, H. (1931) Studies in the ecology of Wicken Fen. I. The ground water level of the Fen. *Journal of Ecology*, **19**: 449-473.
- Godwin, H. (1932) The Fen fire of 1929 and its effect on vegetation. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 595-600. Cambridge, Bowes & Bowes.
- Godwin, H. (1932) Water levels in Wicken Sedge Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner , 615-625. Cambridge, Bowes & Bowes.
- Godwin, H. (1932) Plant life on Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 626-629. Cambridge, Bowes & Bowes.
- Godwin, H. (1936) Studies in the ecology of Wicken Fen. III. The establishment and development of fen scrub (carr). *Journal of Ecology*, **24**: 82-111.
- Godwin, H. (1938) The botany of Cambridgeshire. In: *The Cambridge Region*, ed. by H.C. Darby , 44-59. Cambridge, University Press.
- Godwin, H. (1938) Botany. In: *The Victoria History of the County of Cambridgeshire and the Isle of Ely. Vol. 1*, ed. by L.F. Salzman , 35-76. Oxford, University Press.
- Godwin, H. (1939) Studies in the post-glacial history of British vegetation. II. Fenland pollen diagrams. *Philosophical Transactions of the Royal Society, Ser. B* **230**: 239-284.
- Godwin, H. (1941) Studies in the ecology of Wicken Fen. IV. Crop-taking experiments. *Journal of Ecology*, **29**: 83-106.
- Godwin, H. (1943) Biological flora of the British Isles. *Rhamnus catharticus*. *Journal of Ecology*, **31**: 69-76.
- Godwin, H. (1943) Biological flora of the British Isles. *Frangula alnus*. *Journal of Ecology*, **31**: 77-92.
- Godwin, H. (1978) *Fenland: Its Ancient Past and Uncertain Future*. Cambridge, University Press.
- Godwin, H. & Bharucha, F.R. (1932) Studies in the ecology of Wicken Fen. II. The Fen water table and its control of plant communities. *Journal of Ecology*, **20**: 157-191.
- Godwin, H. & Tansley, A.G. (1929) The vegetation of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner , 385-446. Cambridge, Bowes & Bowes.
- Godwin, H. & Willis, E.H. (1961) Cambridge University natural radiocarbon measurements. *Radiocarbon*, **3**: 60-76.
- Godwin, H., Clowes, D.R. & Huntley, B. (1974) Studies in the ecology of Wicken Fen. V. Development of fen carr. *Journal of Ecology*, **62**: 197-214.
- Godwin, H., Mobbs, R.H. & Bharucha, F.R. (1932) Soil factors in Wicken Sedge Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 601-614. Cambridge, Bowes & Bowes.
- Gooch, W. (1813) General View of the Agriculture of Cambridgeshire. London, Neely & Jones.
- Goss, H. (1899) The preservation of Wicken Fen. *Science-Gossip*, **NS 5**, 291 .

- Gowing, J.W. (1977) The Hydrology of Wicken Fen and Its Influence on the Acidity of the Soil. MSc thesis, Cranfield Institute of Technology.
- Graves, A. (1905) *The Royal Academy of Arts. Vol. 5.* London, Henry Graves and George Bell.
- Gray, T. de (1868) Captures of rare Lepidoptera. *Entomologists' Monthly Magazine*, **5**: 104-105.
- Great Britain Statutes (1767) An Act for draining part of the Bedford Level. London.
- Green, R.E. & Cadbury, C.J. (1987) Breeding Waders of Lowland Wet Grasslands. *RSPB Conservation Review* **1**: 10-13
- Green, R.E. (1971) Temperatures of Reed and Sedge Warblers. *Wicken Fen Group* **3**: 33-35
- Green, R.E. (1974) A new approach to moult studies. *Wicken Fen Group* **6**: 37-41
- Green, R.E. (1974) Estimation of bird populations. *Wicken Fen Group* **6**: 41-44.
- Green, R. (1975) Sexing juvenile reed warblers. *Wicken Fen Group* **7**: 14-15.
- Green, R. (1975) The survival rate of adult reed warblers. *Wicken Fen Group*, **7**: 16-21.
- Green, R. (1976) Adult survival rates for reed and sedge warblers. *Wicken Fen Group* **8**: 23-26.
- Green, R. (1977) Ageing post-juvenile reed and sedge warblers. *Wicken Fen Group* **9**: 12-13.
- Green, R.E. (1985) Estimating the abundance of breeding snipe. *Bird Study*, **32**: 141-149.
- Green, R.E. & Bibby, C.J. (1973) Aphids and sedge warblers. *Wicken Fen Group* **5**: 7-11.
- Green, R.E. & Davies, N.B. (1972) Feeding ecology of reed and sedge warblers. *Wicken Fen Group* **4**: 15-21.
- Griffiths, B.M. (1925) The phytoplankton of the Wicken Fen area. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 116-121. Cambridge, Bowes & Bowes.
- Groves, H. & Groves, J. (1884) Notes on the British Characeae for 1883. *Journal of Botany, London* **22**:1-5 [records of rare *Nitella tenuissima* at Wicken]
- Groves, J. & Bullock-Webster, G.R. (1920) *The British Charophyta Vol. I. Nitelleae.* Ray Society, London. [includes records for Wicken such as rare *Nitella tenuissima*]
- Grubb, P. (2006) Max Walters. *Nature in Cambridgeshire* **48**: 3 - 11
- Hall, M. (1981) Out of the blue. *Guardian*, 13 August 1981, .
- Hallet, H.M. (1924) Hymenoptera Aculeata at Wicken Fen. *Entomologists' Monthly Magazine*, **40**: 40.
- Hallet, R. (1985) New roof, old craft: growing reed for thatching. *Country Life*, 20 June 1985, 1728-1729.
- Hamer, S.H. (1914) Wicken Fen. *Entomologists' Monthly Magazine*, **50**: 155
- Hancock, G.L.R. (1925) On some hibernating Ichneumonidae from the Cambridgeshire Fens. *Entomologists' Monthly Magazine*, **59**: 152-158.
- Harding, M., Smith, K. & Williamson, B. (2005) *The ecohydrology of Wicken Fen and a water level management strategy.* Ecology, Land and People, Report for the National Trust, Wicken Fen.
- Harding, W.A. (1925) Hirudinea. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 92-99. Cambridge, Bowes & Bowes.
- Harper, C.G. (1902) *The Cambridge, Ely and King's Lynn Road, the Great Fen Highway.* London, Chapman and Hall.
- Harris, T.W. (1926) Notes on the flora of the experimental pond. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 255-257. Cambridge, Bowes & Bowes.
- Harris, W.V. (1928) Hemiptera-Heteroptera, Part II. Polyneuria, Onychiophora and Anonychia. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 324-328. Cambridge, Bowes & Bowes.
- Harvey, H.J. (1969) The vegetation of Wicken Fen and Adventurers' Fen. *Wicken Fen Group* **1**: 12-16.
- Harvey, H.J. (1969) Diurnal and seasonal changes in reed warbler and sedge warbler weights. *Wicken Fen Group* **1**: 17-22.
- Harvey, H.J. (1970) Acrocephalus populations on the reed bed. *Wicken Fen Group* **2**: 21-26.
- Harvey, H.J. (1972) Five years data of the willow warbler. *Wicken Fen Group* **4**: 15-21.
- Harvey, H.J. (1973) Automatic data handling. *Wicken Fen Group* **5**: 16-17.
- Harvey, H.J. (1973) Breeding success and weather. *Wicken Fen Group* **5**: 22-24.
- Harvey, H.J. (1974) Automatic data handling II: the wing length of adult reed warblers. *Wicken Fen Group* **6**: 8-12.
- Harvey, H.J. (1974) Wader observations 1969-1974. *Wicken Fen Group*, **6**: 26-32.
- Harvey, H.J. (1975) Waterbirds at Wicken Fen 1969-1975. *Wicken Fen Group*, **5**:29-32.
- Harvey, H.J. (1976) Birds of prey at Wicken Fen 1969-1976. *Wicken Fen Group* **8**: 30-36.
- Harvey, H.J. (1977) Observations on mallard on the mere. *Wicken Fen Group* **9**: 16-22.
- Harvey, H.J. (1977) Passage migrants at Wicken Fen 1969-77. *Wicken Fen Group* **9**: 23-28.
- Harvey, H.J. (1978) Some less common breeding species 1969-1978. *Wicken Fen Group* **10**: 43-48.
- Harvey, H.J. (1980) Owls at Wicken Fen. *Wicken Fen Group* **11**: 17-20.

- Harvey, H.J. (1985) Population biology and the conservation of rare species. In: *Studies on Plant Demography: a Festschrift for John L. Harper*, ed. by J. White, 111-123. London, Academic Press.
- Harvey, H.J. (1986) Monitoring the fen dandelion at Wicken Fen. *Nature in Cambridgeshire*, **28**: 35-39
- Harvey, H.J. (1987) Changing attitudes to nature conservation: The National Trust. *Biological Journal of the Linnaean Society*, **32**: 149-159.
- Harvey, H.J. & Meredith, T.C. (1980) The biology and conservation of milk-parsley, *Peucedanum palustre*, at Wicken Fen. *Nature in Cambridgeshire*, **24**: 38-42.
- Harvey, H.J. & Meredith, T.C. (1981) Ecological studies of *Peucedanum palustre* and their implications for conservation management at Wicken Fen, Cambridgeshire. In: *The Biological Aspects of Rare Plant Conservation*, ed. by H. Synge, 365-377. London, Wiley.
- Haslam, S.M. (1972) *The Reed*. 2nd edition 43pp. Norwich, Norfolk Reed Growers Association.
- Haslam, S.M. (1973) The management of British wetlands. *Journal of Environmental Management*, **1**: 303-320 & 345-361.
- Hayward, H.C. (1928) Four days at Wicken, August 3rd-6th, 1927. *Entomologist*, **61**: 16-17.
- Hiern, P. (1867) On the occurrence of *Aster salignus* Willd. in Wicken Fen, Cambridgeshire. *Journal of Botany*, **5**: 306-307.
- Hiern, P. (1868) On the occurrence of *Aster salignus* Willd. in Wicken Fen, Cambridgeshire. *Report of the 37th Meeting of the British Association for the Advancement of Science held at Dundee in September 1867: Transactions of the Sections*, *****, 84-85.
- Higgott, J. (2006) *Emmelina argoteles* (Meyrick, 1922) (Lep: Pterophoridae) - a newly recognised British plume moth. *Entomologist's Record & Journal of Variation* **118**: 195-197.
[new for GB, found at Wicken Fen, 24 June 2005 & also 5/7/2006]
- Hill, H.A. (1893) Wicken. *Entomologists' Record and Journal of Variation*, **4**: 176-177.
- Hill, H.A. (1900) Lepidoptera at Wicken. *Entomologists' Record and Journal of Variation*, **12**: 335-337.
- Hincks, W.D. (1903) *Trechus rivularis* Gyll. from Wicken Fen. *Entomologists' Record and Journal of Variation*, **15**: 152 .
- Hincks, W.D. (1909) Wicken Fen revisited. *Entomologists' Record and Journal of Variation*, **21**: 321
- Hincks, W.D. (1926) Odonata at Wicken Fen. *Entomologists' Monthly Magazine*, **62** ser 3.12, 256 .
- Hincks, W.D. (1941) A few Wicken Coleoptera. *Entomologists' Record and Journal of Variation*, **53**: 69-70.
- Hodge, P.J. (1987) *Cercyon laminatus* Sharp (Coleoptera; Hydrophilidae) in Cambridgeshire. *Entomologists' Monthly Magazine*, **123**: 36 [record for Wicken Fen]
- Hodges, A.J. (1893) Wicken, Chippenham, Tuddenham. *Entomologists' Record and Journal of Variation*, **4**: 181-183.
- Hodges, A.J. (1894) Ten days at Wicken. *Entomologists' Record and Journal of Variation*, **5**: 180-182.
- Hollingsworth, P.M., Gornall, R.J. & Preston, C.D. (1995) Genetic variability in British populations of *Potamogeton coloratus* (Potamogetonaceae). *Plant Systematics and Evolution* **197**:71-85
- Hosking, A. (1903) Notes on Cambridgeshire plants. *Journal of Botany*, **41**: 157-159.
- Huggins, H.C. (1966) *Plusia gracilis* Lempke at Wicken. *Entomologists' Record and Journal of Variation*, **78**: 255-256.
- Hughes, A.E. (1983) A study of blackbird weights through the year at Wicken Fen. *Wicken Fen Group*, **12**: 19-22.
- Hughes, F.M.R., Colston, A. & Mountford, J.O. (2005). Restoring Riparian Ecosystems: The challenge of accommodating variability and designing restoration trajectories. *Ecology and Society* **10** (1): 12-20.
[online] URL: <http://www.ecologyandsociety.org/vol10/iss1/art12/> [includes Wicken Fen examples]
- Hughes, T.M. & Hughes, M.C. (1909) *Cambridgeshire*. Cambridge, University Press.
- Hurrell, H.G. (1964) Fenland marshes must be managed. *Journal of the Devon Trust for Nature Conservation*, **3**: 99-101.
- Hutchinson, G.E. (1925) A preliminary account of the Hemiptera-Heteroptera. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 100-103. Cambridge, Bowes & Bowes.
- Hutchinson, G.E. (1926) Hemiptera-Heteroptera. Part 1. Hydrobiotica and Sandalioryncha. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 234-252. Cambridge, Bowes & Bowes.
- Imms, A.D. (1938) The zoology of Cambridgeshire. In: *A Scientific Survey of the Cambridge District*, ed. by H.C. Darby, 60-79. Cambridge, University Press.
- Imms, A.D. (1938) Zoology. In: *The Victoria History of the County of Cambridgeshire and the Isle of Ely. Vol. 1*, ed. by L.F. Salzman, 77-245. Oxford, University Press.
- Ing, B. (1959) Woodlice in Cambridgeshire. *Nature in Cambridgeshire*, **2**: 16-20.
- Ing, B. (1961) Centipedes and millipedes. *Nature in Cambridgeshire*, **4**: 28-37.

- Innes, J.L. (1978) Annual survival of Wrens and Dunnocks. *Wicken Fen Group* **10**: 16-19
- Innes, J.L. (1977) Adult survival rates for blue and long-tailed tits. *Wicken Fen Group* **9**: 14-16.
- Jackson, C.H.N. (1928) The Collembola of Wicken Fen, Cambridgeshire. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 300-307. Cambridge, Bowes & Bowes.
- James, R.E. (1898) Collecting in the Fens. *Entomologist*, **31**: 253-257.
- James, R.E. (1900) Lepidoptera captured in 1899. *Entomologists' Record and Journal of Variation*, **12**: 102-104.
- James, R.E. (1908) Wicken re-visited. The Lepidoptera of Wicken Fen, etc. *Entomologists' Record and Journal of Variation*, **20**: 294-300.
- James, R.E. (1923) Old haunts re-visited. Wicken and Deal sandhills. *Entomologists' Record and Journal of Variation*, **35**: 149-153 and 161-163.
- Jenkin, P.M. (1928) The Cladocera of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 356-365. Cambridge, Bowes & Bowes.
- Jenkin, P.M. (1982) Temperature, hydrochemistry and plankton in Wicken brickpits, 1930-31. *Hydrobiologia*, **97**: 37-61.
- Jenyns, L. (1845) On the turf of the Cambridgeshire Fens. *Transactions of the Sections of the British Association 1845*: 75-76
- Johnson, R. (1985) An investigation into the cyprinid hybrid community of Wicken Fen Mere. Unpublished report, pp. 34-93. Huntingdon, Anglian Water.
- Johnston, H.B. (1901) Wicken Fen and Mr Aspland. *Entomologists' Record and Journal of Variation*, **13**: 334-335.
- Jones, A.H. (1877) *Hydrilla palustris* at Wicken Fen. *Entomologists' Monthly Magazine*, **14**: 67
- Jones, H.P. (1932) Aculeate Hymenoptera at Wicken Fen. *Entomologists' Monthly Magazine*, **68**: 233.
- Joy, E. (1885) *Papilio machaon*, etc at Wicken Fen. *Entomologist*, **18**: 241 .
- Julian, R.A. (1851) A trip to Wicken-Fen, Cambridgeshire, in pursuit of specimens of natural history. *The Naturalist (Morris')*, **1**: 170-171. ['saw great quantities of swallowtail butterflies']
- Julian, R.A. (1851) Occurrence of the grasshopper warbler (*Salicaria locustella*). *Naturalist (Morris')*, **1**: 233
- Julian, R.A. (1852) A trip to Wicken-Fen, Cambridgeshire - No. 2. *Naturalist (Morris')*, **2**: 140-141.
- Kaye, W.J. (1900) Some diary notes on the season's collecting. *Entomologists' Record and Journal of Variation*, **12**: 233-235 and 312-314.
- Kaye, W.J. (1912) Large "Coppers" in Wicken Fen. *Entomologist*, **45**: 156 .
- Kaye, W.J. (1949) Wicken Fen and the Breck Sand District. *Entomologist*, **82**: 93 .
- Kemp, J. (1981) Breeding long-eared owls in West Norfolk. *Norfolk Bird and Mammal Report for 1980* **25**(5): 262-264
- Kendall, M.D. & Twigg, G.I. (1981) The weight of the thymus gland in a population of wild bank voles, *Clethrionomys glareolus*, from Wicken Fen, Cambridgeshire. *Journal of Zoology* **194**: 323-339.
- Kerrich, G.J. & Spooner, G.M. (attrib. G.J. Kerrich) (1938) Hymenoptera. In: Imms A.D. (ed.) *Victoria County History of Cambridgeshire and the Isle of Ely*, Vol **1**: 162-189
- Kerrich, G.J. (1932) Additions to the Ichneumonoid fauna of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 560-566. Cambridge, Bowes & Bowes.
- Kerrich, G.J. (1935) Notes on Ichneumonidae (Hy.) new to or rare in Britain; with a brief review of British lists published since 1915. *Transactions of the Society for British Entomology*, **2**: 33-46.
- Kerrich, G.J. (1936) The Ichneumonidae of Wicken Fen: corrigenda and addenda. *Transactions of the Society for British Entomology*, **3**: 61-66.
- Kershaw, G.B. (1915) *Acronycta strigosa*, *Hadena atriplicis*, etc. *Entomologist*, **48**: 20
- Kettlewell, H.B.D. (1929) Collecting 1928. *Entomologists' Record and Journal of Variation*, **41**: 7 and 26.
- Kettlewell, H.B.D. (1930) Collecting 1930 (Lepidoptera). *Entomologists' Record and Journal of Variation*, **43**: 96 .
- Kettlewell, H.B.D. (1953) *Papilio machaon* L (Lep. Papilionidae) at Wicken Fen. *Entomologist*, **86**: 196
- Kettlewell, H.B.D. (1953) Restocking of Wicken Fen with *Papilio machaon* L (Lep. Papilionidae). *Entomologists' Record and Journal of Variation*, **98**: 215
- King, M.L. (1976) The reintroduction of the swallowtail butterfly to Wicken Fen. *Journal of the Cambridge Association for Environmental Education*, 1976, 1-3.

- Kirk, W.D.J. (1985) Aggregation and mating of thrips in flowers of *Calystegia sepium*. *Ecological Entomology*, **10**, 433-440.
- Knowle, M. (1902) *History of Wicken*. London, .
- Lack, D. (1934) *Birds of Cambridgeshire*. Cambridge, Cambridge Bird Club.
- Lack, P. (1986) *The Atlas of Wintering Birds in Britain and Ireland*. Calton, T. & A.D. Poyser.
- Lack, D. (1934) *Birds of Cambridgeshire*. Cambridge, Cambridge Bird Club.
- Lahav-Ginott, S. (1994) *Characteristics of dioecy in nettles (Urticaceae)*. PhD thesis, University of Cambridge.
- Lambeth, R.C. (1956) The last mill. *The Village*, **11**, 126-130.
- Langslow, D.R. (1971) Wing-length and brood patches as a guide to sexing willow warblers and chiffchaffs. *Wicken Fen Group Report* **3**: 30-32.
- Lankester, R. (1915) *Diversions of a Naturalist*. London, Methuen.
- Last, H. (1944) *Quedius subfuliginosus* Britten (Col. Staphylinidae) in Surrey, Cambridgeshire and Lincolnshire. *Entomologists' Monthly Magazine*, **81**: 7
- Laundon, J.R. (1973) *Guides to Wicken Fen. No. 10: Lichens of Wicken Fen*. Wicken, National Trust: Wicken Fen Local Committee.
- Lee, D.G. (1988) *Environmental change and freshwater macroinvertebrates at Wicken Fen, Cambridgeshire*. PhD thesis, University of Cambridge.
- Lees, S. (1981) New Cambridgeshire records for Dolichopodidae (Dipt.). *Entomologists' Monthly Magazine*, **117**: 214
- Lees-Milne, J. (1945) *The National Trust. A Record of Fifty Year's Achievement*. London, Batsford.
- Lenny, J.G. (1844) *Particulars Referring to a Plan of Part of the Bedford Level Subject to Eau Brink Tax*. Bury St Edmunds.
- Leston, D. (1954) *Capsus wagneri* Remane (Hem., Miridae), a plant bug new to Britain. *Entomologist's Monthly Magazine* **90**: 1
- Lewis, D.J. (1932) The mosquitoes of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 548-559. Cambridge, Bowes & Bowes.
- Lindley, K. (1982) *Fenland Riots and the English Revolution*. London, Heinemann Educational.
- Lock, J.M. (1990) Calcifuge bryophytes at Wicken Fen. *Journal of Bryology* **16**: 89-96
- Lock, J.M. (1968) List of the bryophytes of Wicken Fen. *Guides to Wicken Fen. no. 5*. Wicken, NT (WFLC).
- Lock, J.M. (1972) Survey of St Edmund's Fen. Report to the Executive Committee. MS in archive.
- Lock, J.M. (1963) Recent bryophyte records from Wicken Fen. *Nature in Cambridgeshire* **7**: 34-38.
- Lock, J.M. (1968) *Guides to Wicken Fen. No. 5: List of the Bryophytes of Wicken Fen*. Wicken, National Trust: Wicken Fen Local Committee.
- Lock, J.M. & Bennett, T.J. (1993) New water bodies at Wicken Fen. *Nature in Cambridgeshire* **35**: 25-28
- Lohar, G. & Ballard, S. (1992) Turf-digging at Wicken Fen. Wicken, NT (WFLC).
- Long, S.H. (1936) The season, 1935-36. *Transactions of the Norfolk and Norwich Naturalists' Trust*, **14**: 164 .
- Lousley, J.E. & Kent, D. (1981) Docks and Knotweeds of the British Isles. BSBI Handbook 3: 160-163. London, BSBI.
- Lowndes, A.G. (1928) The Copepoda of Wicken Fen, with observations on the influence of environment. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 334-345. Cambridge, Bowes & Bowes.
- Lowndes, A.G. (1932) Ostracoda of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 585-589. Cambridge, Bowes & Bowes.
- Lucas, C. (1930) *The Fensman's World*. Norwich, Jarrold.
- Lucas, W.J. (1902) *Lestes dryas* at Wicken. *Entomologist*, **35**: 268 .
- Lucas, W.J. (1928) Further notes on the Orthoptera, Paraneuroptera, Neuroptera, etc. of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 329-333. Cambridge, Bowes & Bowes.
- Luck, K.E. (1965) Autecology of *Calamagrostis epigeios* (L.) Roth and *C. canescens* (Weber) Roth. PhD thesis, University of Cambridge.
- Lunel, T. (1984) Phosphate and nitrate in freshwater at Wicken Fen. ms in archive.
- Macan, T.T. (1941) *Freshwater Biological Association Scientific Publication No. 4. A Key to the British Species of Water Bugs (Hemiptera, excluding Corixidae) With Notes on Their Ecology*. Freshwater Biological Association.

- Macan, T.T. (1939) The Culicidae of the Cambridge District. *Parasitology* **31**: 263-269
- Manning, S.A. (1970) Some Cambridgeshire plant galls. *Nature in Cambridgeshire*, **13**: 24-28.
- Marchant, J.H., Hudson, R., Carter, S.P. & Whittington, P. (1990) *Population trends in British breeding birds*. BTO/NCC .
- Marr, J.E. & Shipley, A.E. (eds.) (1904) *Handbook to the Natural History of Cambridgeshire*. Cambridge, University Press.
- Marshall, J.F. (1938) *The British Mosquitoes*. British Museum of Natural History, London.
- Massee, A.M. (1943) *Aglenus brunneus* Gyll. (Col. Colydiidae) in Cambridgeshire. *Entomologists' Monthly Magazine*, **80**: 9
- Massee, A.M. (1949) Additions to the list of the coleopterous fauna of Cambridgeshire. *Entomologists' Monthly Magazine*, **85**: 185
- Massee, A.M. (1953) *Eremocoris plebejus* (Fallen) (Hem. Lygaeidae), and addition to the Wicken Sedge Fen list of Hemiptera-Heteroptera. *Entomologists' Monthly Magazine*, **90**: 70
- Massee, A.M. (1959) *Tetratoma fungorum* F. (Col. Serropapidae) recorded at Wicken Sedge Fen, Cambridgeshire. *Entomologists' Monthly Magazine*, **95**: 190
- Massee, A.M. (1959) *Temnostethus pusillus* (H. -S) (Hem. Anthocoridae) recorded from Cambridgeshire. *Entomologists' Monthly Magazine*, **95**: 270
- Matheson, D.M. (1950) *Places of Natural Beauty*. London, Batsford.
- McCartney, M.P. & de la Hera, A. (2004) Hydrological assessment for wetland conservation at Wicken Fen. *Wetlands Ecology and Management*, **12**: 189-204.
- McGarry, S. (1982) Chromatium in a brickpit at Wicken Fen. *Nature in Cambridgeshire* **25**: 21-22.
- Meek, E.G. (1881) An afternoon at Wicken Fen. *Entomologist*, **14**: 185
- Meredith, T.C. & Grubb, P.J. (1993) *Peucedanum palustre* (L.) Moench. Biological Flora of the British Isles. *Journal of Ecology* **81**: 813-826
- Meredith T.C. (1978) The ecology and conservation of *Peucedanum palustre* at Wicken Fen. PhD thesis, University of Cambridge.
- Meredith, T.C. (1975) An ecological study of *Peucedanum palustre* as a factor in the conservation of *Papilio machaon* at Wicken Fen. MSc thesis, University College, London.
- Meredith, T.C. (1976) The food plant of the swallowtail butterfly: experiments at Wicken Fen. *University College (London) Discussion Papers in Conservation*, **12**.
- Meredith, T.C. (1985) Factors affecting recruitment from the seed bank of sedge (*Cladium mariscus*) dominated communities at Wicken Fen, Cambridgeshire, England. *Journal of Biogeography*, **12**: 263-272.
- Messent, P.R. (1969) Weight variations of certain finches, buntings and sparrows. *Wicken Fen Ringing Group Report*, **1**: 23-28.
- Michelmore, A.P.G. (1929) The Diptera of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 447-478. Cambridge, Bowes & Bowes.
- Miller, S.H. (1889) *The Handbook to the Fenland*. London, Simpkin, Marshall & Co..
- Miller, S.H. & Skertchley, S.B.J. (1878) *The Fenland, Past and Present*. Wisbeach, Leach and Son.
- Mills, S.C. & Reynolds, J.D. (2004). The importance of species interactions in conservation: the endangered European bitterling *Rhodeus sericeus* and its freshwater mussel hosts. *Animal Conservation* **7**: 257-263.
- Milwright, R.D.P. (1976) Standardised mist netting and bird populations. . *Wicken Fen Ringing Group Report*, **8**: 10-15.
- Mitchell, A.T. (1894) Collecting at Wicken. *Entomologist*, **27**: 28-29.
- Moberly, J.C. (1893) Wicken. *Entomologists' Record and Journal of Variation*, **4**: 234-235 & 253-255.
- Moberly, J.C. (1894) Wicken. *Entomologists' Record and Journal of Variation*, **5**: 302-303.
- Moberly, J.C. (1895-96) New Forest and Fen district. *Entomologists' Record and Journal of Variation*, **7**: 44
- Moberly, J.C. (1895-96) Wicken. *Entomologists' Record and Journal of Variation*, **7**: 90-91
- Moberly, J.C. (1897) Notes from the New Forest and Wicken. *Entomologists' Record and Journal of Variation*, **9**: 296
- Moore J. (?1706) A Mapp of the Great Levell of the Fens....as it is now drained.
- Moore, J.A. (1986) *Charophytes of Great Britain and Ireland*. BSBI Handbook no.5. London, BSBI
- Moore, J.A. (1979) The current status of the Characeae (Stomeworts) in the British Isles. *Watsonia*, **12**: 297-309.
- Moore, N.W. (1987) *The Bird of Time*. Cambridge, University Press.
- Moore, P.D. (1983) Seeds of thought for plant conservationists. *Nature*, **303**: 572

- Morgan, A. (2005) *Investigation into the Influence of Farming Methods on Changes in Vegetation and Soil Properties of Restored Fenlands over Time*. Unpublished MSc Thesis, Cranfield University, Silsoe. [based on field work at Wicken]
- Morley, C. (1904) The Hymenoptera of Cambridgeshire. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley, 180-183. Cambridge, University Press.
- Morris, M.G. (1963) Two weevils new to Cambridgeshire. *Nature in Cambridgeshire*, **6**: 43-44.
- Morris, M.G. (1982) *Hypera meles* (F.) (Col., Curculionidae) in Dorset. *Entomologists' Monthly Magazine*, **118**: 206. [Reference to confirmed Wicken Fen specimens]
- Morton, K.J. (1904) The Neuroptera of Cambridgeshire. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley, 145-149. Cambridge, University Press.
- Mosley, M.E. (1926) Trichoptera of Wicken Fen. *Entomologist*, **59**: 313.
- Moss, D. (1978) Redpoll traps at Wicken. *Wicken Fen Group Report*, **10**: 12-14.
- Mountford, J.O., Lock, J.M., Walters, S.M. & Bennett, T.J. (1994) A Checklist of the vascular plants of Wicken Fen. Wicken, NT (WFLC).
- Mountford, J.O., Colston, A. & Lester, M. (2005). Management for diversity: the sedge and litter vegetation at Wicken Fen NNR in 2004. *Nature in Cambridgeshire* **47**: 15 – 23
- Muir R.C. (1951) A report on the birds at Wicken Fen 1951. *Cambridge Bird Club Report* **25**: 24-25
- Nash, A. (1896) *Oberea oculata* in Cambridgeshire. *Entomologist* **29**: 316.
- Naylor, A., & Green, R.E. (1976) Timing of fledging and passage of juvenile reed warbler. *Wicken Fen Group*, **8**: 15-18.
- Naylor, A.K. (1972) Tree creeper measurements. *Wicken Fen Group*, **4**: 36.
- Naylor, A.K. (1973) St. Edmund's Fen. *Wicken Fen Group*, **5**: 28-29.
- Naylor, A.K. (1974) Weight variation of blackbirds and song thrushes at Wicken Fen. *Wicken Fen Group*, **6**: 13-21.
- Naylor, A.K. (1974) Nests at Wicken Fen 1974. *Wicken Fen Group*, **6**: 24.
- Naylor, A.K. (1975) The effects of overnight temperature on dawn weight of dunnocks. *Wicken Fen Group*, **7**: 22-24.
- Naylor, A.K. (1978) Some features of the blackbird population at Wicken Fen. *Wicken Fen Group*, **10**: 19-22.
- Naylor, A.K. (1980) Nestboxes at Wicken Fen - a seven year survey. *Wicken Fen Group*, **11**: 14-16.
- Naylor, A.K. & Smith, C.M. (1973) Sex of kingfishers. *Wicken Fen Group*, **5**: 35-37.
- Nellist, D.R. (2001) Further additions to the Check List for Wicken Fen. *Newsletter of the British Arachnological Society* **91**: 12-13
- Nellist, D.R. (2000) The National Trust's 100th Anniversary field meeting at Wicken Fen 12-13th June, 1999. *Newsletter of the British Arachnological Society* **88**: 4-5
- Nevinson, E.B. (1916) Aculeate Hymenoptera and Chrysididae at Wicken. *Entomologist's Monthly Magazine* **52**: 90-91
- Nevinson, E.B. (1926) Hymenoptera Aculeata. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 253-254. Cambridge, Bowes & Bowes.
- Newman, L.H. (1967) Swallowtails on the danger list. *Country Life*, 31 August 1967, 474-475.
- Newton, A.E. (1986) Bryophyte sites in Cambridgeshire. *Nature in Cambridgeshire*, **28**: 23-28.
- Nicholson, E.M. (1957) *Britain's Nature Reserves*. London, Country Life.
- Nicholson, G.W. (1912) Records of local Coleoptera. I. Geodephaga. *Ent. Record* **14**: 168 - 169
- Nicholson, H.H. (1949) The control of ground water level in farming. *Agricultural Progress*, **24**: 112-115.
- Nicholson, H.H. (1951) Groundwater control in a reclaimed marshland. *World Crops*, **3**: 251-254.
- Nicholson, H.H., Alderman, G. & Firth, D.H. (1951) An experiment in the control of the ground water-level in a fen peat soil. *Journal of Agricultural Science*, **41**: 150-162.
- Norman, P.G. (1968) Fen drainage. *Architectural Review*, **144**: 295-296.
- Norris, H.E. (1882) Lepidoptera in the Fens. *Entomologist*, **15**: 255.
- O'Brien, M. & Smith, K.W. (1992) Changes in the status of waders breeding on wet lowland grasslands in England and Wales between 1982 and 1989. *Bird Study* **39**: 165-176
- Oldham, C. (1926) Additions to the Mollusca of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 198-200. Cambridge, Bowes & Bowes.
- Oliver, P. (1967) Wicken Fen. *Cambridgeshire and Peterborough Life*, December 1967: 44-45.
- Oswald, P.H. (1979) An ornithological diary of eighty years ago. *Nature in Cambridgeshire*, **22**: 21-33.

- Owen, M., Atkinson-Willes, G.L. & Salmon, D.G. (1986) *Wildfowl in Great Britain* (2nd edition). Cambridge, University Press.
- Painter, D.J. (1994) Some records of aquatic Coleoptera and Mollusca from Wicken Fen. *Nature in Cambridgeshire* **36**: 88-91
- Painter, D.J. (1995) *Fen ditch excavation patterns: effects on aquatic communities*. PhD thesis, University of Cambridge.
- Painter, D. (1998) Effects of ditch management patterns on Odonata at Wicken Fen, Cambridgeshire, UK. *Biological Conservation* **84**: 189-195
- Painter, D. (1999) Macroinvertebrate distributions and the conservation value of aquatic Coleoptera, Mollusca and Odonata in the ditches of traditionally managed and grazing fen at Wicken Fen, UK. *Journal of Applied Ecology* **36**: 33-48
- Painter, D.J. & Friday, L.E. (1995) Restoring fenland ditches: the case of Wicken Fen N.N.R. In: *Restoration of Temperate Wetlands*. Wheeler B.D., Shaw S.C, Fojt W.J. & R.A. Robertson (eds.) pp 241-250. Chichester, John Wiley & Sons Ltd.
- Palmer, M.A. (Ed)(2006) Fen Ragwort *Senecio paludosus* L: a review of conservation work carried out under English Nature's Species Recovery Programme, 1991-2005. English Nature Research Report Number 674. [includes discussion of the re-introduction of plants at Wicken]
- Palmer, M.A. (Ed)(2006) Fen Violet *Viola persicifolia* Schreber: a review of conservation work carried out under English Nature's Species Recovery Programme, 1993 to 2005. *English Nature Research Reports*, No. 676. [includes discussion of the population of plants at Wicken]
- Parker, A.K., & Pye, D. (1976) *The Fenland*. Newton Abbott, David & Charles.
- Parslow, R. (1998) *Isolepis setacea* – A new plant for Wicken Fen? *Nature in Cambridgeshire*, **40**: 69
- Paul, C.R.C. (1967) *Guides to Wicken Fen. No. 2: Mollusca of the Wicken Sedge Fen*. Wicken, National Trust: Wicken Fen Local Committee.
- Peach, W.J., Baillie, S.R. & Underhill, L. (1991) Survival of British Sedge Warblers in relation to West African rainfall. *Ibis* **133**: 300-305.
- Peach, W.J., Buckland, S.T. & Baillie, S.R. (1990) Estimating survival rates using mark-recapture data from multiple ringing sites. *The Ring* **13**: 87-102.
- Pearson, F.G.O. (1945) The utilization of Alder Buckthorn. *Forestry*, **19**: 95-96
[includes reference to Wicken]
- Peglar, S. (1994) Wicken Fen. Pp114-7 in Waller, M. (ed) *The Fenland Project, Number 9: Flandrian Environmental Change in Fenland*. East Anglian Archaeology, Report 70, Cambridgeshire County Council.
- Perkins, R.C.L. (1900) *Prosopis palustris*, sp. nov., an addition to the British Hymenoptera. *Entomologists' Monthly Magazine*, **36**: 49-50.
- Perrin, R.M.S. (1982) Chemistry of the waters of Wicken Fen. *Nature in Cambridgeshire*, **25**: 22-29.
- Perrin, V. (2004) Cambridgeshire Bats – an update: The work of the Cambridgeshire bat group. *Nature in Cambridgeshire*, **46**: 64-72.
- Perrin, V. & Johnson, I. (1995) The Cambridgeshire Dragonfly Survey 1991-1993. *Nature in Cambridgeshire* **37**: 8-19.
- Perring, F.H. (1968) Vascular plant records. *Nature in Cambridgeshire* **11**: 36-37
- Perring, F.H., Sell, P.D., Walters, S.M. & Whitehouse, H.L.K. (1964) *A Flora of Cambridgeshire*. Cambridge, University Press.
- Perry, I. (1998) BENHS Field Meeting. Wicken Fen, Cambridgeshire, 17 August 1997. *British Journal of Entomology and Natural History* **11**: 63
- Perry, I. (1998) *Achalcus thalhammeri* Lichtwardt (Diptera, Dolichopodidae) in Cambridgeshire. *Dipterists Digest* **5**: 69
[3rd GB record of this rare species]
- Pickford, G.E. (1926) The Oligochaeta of Wicken Fen, part 1: Lumbricidae. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 215-232. Cambridge, Bowes & Bowes.
- Pickford, G.E. (1926) Thysanura. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 233. Cambridge, Bowes & Bowes.
- Pocock, T. (1947) Thirty three years in a bog. *Leader Magazine*, **4(33)**: 12-13.
- Pollard, A.J. & Briggs, D. (1982) Genecological studies of *Urtica dioica* L. I The nature of intraspecific variation in *U. dioica*. *New Phytologist* **92**: 453-470
- Pollard, A.J. & Briggs, D. (1984) Genecological studies of *Urtica dioica* L. II Patterns of variation at Wicken Fen, Cambridgeshire. *New Phytologist* **96**: 483-499

- Pollard, E. & Hall, M.L. (1980) Possible movement of *Gonepteryx rhamni* (L.) (Lepidoptera: Pieridae) between hibernating and breeding areas. *Entomologist's Gazette* **31**: 217-220
- Pollard, E. (1977) A method for assessing changes in the abundance of butterflies. *Biological Conservation* **12**: 115-134
- Pollard, E. (1979) A national scheme for monitoring the abundance of butterflies. *Proceedings and Transactions of the British Entomological and Natural History Society* **12**: 77-90
- Pollard, A.J. (1981) Genecological studies of *Urtica dioica* L. PhD thesis, University of Cambridge.
- Pollard, A.J. & Briggs, D. (1982) Genecological studies of *Urtica dioica* L. I. The nature of variation in *U. dioica*. *New Phytologist*, **92**: 453-470.
- Pollard, A.J. & Briggs, D. (1984) Genecological studies of *Urtica dioica* L. II. Patterns of variation at Wicken Fen, Cambridgeshire, England. *New Phytologist*, **96**: 483-499.
- Pollard, A.J. & Briggs, D. (1984) Genecological studies of *Urtica dioica* L. III. Stinging hairs and plant-herbivore interactions. *New Phytologist*, **97**: 507-522.
- Polunin, N.V.C. (1979) Studies on the Ecology of *Phragmites* Litter in Freshwater. PhD thesis, University of Cambridge.
- Polunin, N.V.C. (1982) Effects of the freshwater gastropod *Planorbis carinatus* on reed (*Phragmites australis*) litter microbial activity in an experimental system. *Freshwater Biology*, **12**: 547-552.
- Polunin, N.V.C. (1982) Processes contributing to the decay of reed *Phragmites australis* litter in fresh water. *Archiv fur Hydrobiologia*, **94**: 182-209.
- Polunin, N.V.C. (1982) Seasonal variation in seston and organic matter accumulation in a sheltered fenland pond. *Hydrobiologia*, **94**: 155-162.
- Polunin, N.V.C. (1982) Processes in the decay of reed (*Phragmites australis*) litter in fresh water. In: *Wetlands Ecology and Management*, ed. by B. Gopal, R.E. Turner, R.G. Wetzel and D.F. Whigham, 292-304. Jaipur, India, National Institute of Ecology & International Scientific Publications.
- Pond Action (1991) Preliminary results from the National Pond Survey: single season analysis of macroinvertebrate samples from 111 NPS sites. 16pp. Report 91/9. Oxford Brookes University, Pond Action. [3 Wicken ponds sampled]
- Pontin, R. (1995) Rotifers of Wicken Fen, Cambridgeshire: a preliminary survey. *Nature in Cambridgeshire* **37**: 20-24
- Porritt, G.T. (1878) Lepidoptera at Wicken. *Entomologists' Monthly Magazine*, **15**: 110-111.
- Porritt, G.T. (1878) *Orygia coenosa* at Wicken Fen. *Entomologist*, **11**: 229-230.
- Porritt, G.T. (1879) A fortnight in the Fens. *Naturalist*, **NS 4**: 116-120.
- Porritt, G.T. (1880) Lepidoptera at Wicken Fen. *Entomologist*, **13**: 184
- Porritt, G.T. (1891) Neuroptera, Trichoptera and Orthoptera - Wicken and neighbourhood. *Entomologists' Record and Journal of Variation*, **2**: 291-293.
- Porritt, G.T. (1892) Wicken Fen and district, 1891. *British Naturalist*, **2**: 1-7.
- Porritt, G.T. (1893) Wicken. *Entomologists' Record and Journal of Variation*, **4**: 209
- Porritt, G.T. (1893) Lepidoptera at Wicken Fen and Hunstanton. *Entomologists' Monthly Magazine*, **29**: 212-213.
- Porritt, G.T. (1915) *Laelia coenosa*, etc at Wicken. *Entomologist*, **48**: 42-43.
- Preston, C.D. & Croft, J.M. (1997) *Aquatic Plants in Britain and Ireland*. Colchester, Harley Books.
- Preston, C.D. (1991a) *Lemna minuscula* in Cambridge. *Nature in Cambridgeshire* **33**: 52-54
- Preston, C.D. (1991b) Charophyte records. *Nature in Cambridgeshire* **33**: 70
- Preston, C.D. (1993) Charophyte records. *Nature in Cambridgeshire* **35**: 86
- Preston, C.D. (1999) The Wicken Fen fires of 1903 and 1904. *Nature in Cambridgeshire* **41**: 65-69
- Proctor, M.C.F. (1992) Regional and local variation in the chemical composition of ombrogenous mire waters in Britain and Ireland. *Journal of Ecology* **80**: 719-736
- Proctor, M.C.F. (1956) A bryophyte flora of Cambridgeshire. *Transactions of the British Bryological Society*, **3**: 1-49.
- Prys-Jones, O.E. (1983) *Ecological Studies of Foraging and Life History in Bumblebees*. PhD thesis, University of Cambridge.
- Pullin, A.S. & Woodell, S.R.J. (1987) Response of the fen violet, *Viola persicifolia* Schreber, to different management regimes at Woodwalton Fen National Nature Reserve, Cambridgeshire, England. *Biological Conservation*, **41**: 203-217.
- Purefoy, E.B. (1931) *Chrysophanus dispar batavus* Oberth., in Wicken Fen: the romance of a beautiful and very rare butterfly. *Entomologist*, **64**: 265-267.
- Purseglove, J. (1988) *Taming the Flood. A History and Natural History of Rivers and Wetlands*. Oxford, University Press.

- Ransom, R. (1900) Wicken Fen (a journey to). *Cambridge Graphic*, 12 May 1900, 4-5.
- Ratcliffe, D.A. (1981) Concluding remarks. *Recreation Ecology Research Group Report*, **7**: 57-60.
- Ratcliffe, D.A. (ed.) (1977) *A Nature Conservation Review. 2 Vols.* Cambridge, University Press.
[Wicken Fen is one of the sites discussed]
- Raven, C.E. (1957) The Cambridge Natural History Society. *The Cambridge Review*, 12 October 1957.
- Raven, P.H. (1975) Ethics and attitudes. In: *Conservation of Threatened Plants*. J.B. Simmons, R.I. Beyer, P.E. Brandham, G.L. Lucas and V.T.H. Parry (eds) p155-179. London, Plenum Press.
- Ravensdale, J.R. (1974) *Liabile to Floods: Village Landscape on the Edge of the Fens, AD 450-1850*. Cambridge, University Press.
- Ray J. (1660) *Catalogus plantarum circa Cantabrigiam nascentium*. London, J. Martin. (in translation as: Ray's Flora of Cambridgeshire, Ewen A.H. & Prime C.T. (1975) (editors and translators). Hitchin, Wheldon & Wesley).
- Rayner, J.F. (1927) Botanising in Fenland. *Countryside*, **NS 8**: 18-19.
- Raynor, G.H. (1882) *Argynnis adippe* at Wicken. *Entomologist*, **15**: 88-89.
- Reader, T. (2003) Strong interactions between species of phytophagous fly: a case of intraguild kleptoparasitism. *Oikos* **103**: 101-112.
[studied *Lipara* galls, Wicken was one of the field sites]
- Reader, T. (2001) Competition, kleptoparasitism and intraguild predation in a reedbed community. Ph.D. thesis, Univ. of Cambridge.
[studied *Lipara* galls, Wicken was one of the field sites]
- Reaney, P.H. (1943) *The Place-names of Cambridgeshire and the Isle of Ely*. Cambridge, University Press.
- Redfern, C.P.F. (1978) Reed warbler populations in relation to sex. *Wicken Fen Group*, **10**: 28-33.
- Redfern, C.P.F. (1978) Survival in relation to sex in reed warbler populations. *Wicken Fen Group*, **10**: 34-38.
- Redgrove, H.S. (1931) The flowers of the Fen. *Gardeners' Chronicle*, 24 January 1931, 70-72.
- Reid, D.G. (1931) Wicken Fen: notes and memories. *Cambridge Public Library Record and Booklist*, **3**: 90-97.
- Relhan R. (1785) *Flora Cantabrigiensis*. Cambridge, Merrill; 2nd edition (1802), Deighton; 3rd edition (1820), Deighton.
- Rhodes, P.G.M. (1911) Bryophyta. [Part of Evans A.H. (1911), 'A short flora of Cambridgeshire.....']. *Proceedings of the Cambridge Philosophical Society*, **16**: 252-258.
- Richards, P.W. (1932) The Bryophyta of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 539-543. Cambridge, Bowes & Bowes.
- Richardson, R. (1901) On the Fen with the green net. *Cambridge Graphic*, 11 May 1901, 20.
- Riley, N.D. (1929) Wicken Fen. *Entomologist*, **62**: 242.
- Riley, N.D. (1929) The re-establishment of the large copper butterfly (*Chrysophanus dispar*) in England. *Natural History Magazine*, **2**: 113-118.
- Riley, N.D. (1962) Wicken Fen Fund. *Entomologists' Gazette*, **13**: 11.
- Robertshaw, P.T. (1971) A preliminary analysis of the relative populations and breeding success of reed and sedge warblers. *Wicken Fen Ringing Group*, **3**: 24-26.
- Robertshaw, P.T. (1972) A means of measuring bird activity. *Wicken Fen Ringing Group*, **4**: 27-29.
- Rodwell J.S. (ed.) (1991a) *British Vegetation Communities. I. Woodlands and scrub*. Cambridge, University Press.
- Rodwell J.S. (ed.) (1991b) *British Vegetation Communities. II. Mires and heaths*. Cambridge, University Press.
- Rodwell J.S. (ed.) (1992) *British Vegetation Communities. III Grassland and montane communities*. Cambridge, University Press.
- Rodwell J.S. (ed.) (1996) *British Vegetation Communities. IV Aquatic, Swamps and tall herb fens communities*. Cambridge, University Press.
- Rouse, M. (1972) *Spinney Abbey and Wicken*. Ely, M. Rouse.
- Rowell, T.A. (1982) The origins of the Wicken Fen brickpits. *Nature in Cambridgeshire*, **25**: 21-22.
- Rowell, T.A. (1982) Wicken Pools' Fen: origins and land use history. *Cambridgeshire Local History Society Council Bulletin*, **37**: 7-10.
- Rowell, T.A. (1983) The fen violet at Wicken Fen. *Nature in Cambridgeshire*, **26**: 62-65.
- Rowell, T.A. (1983) *History and Management at Wicken Fen*. PhD thesis, University of Cambridge.

- Rowell, T.A. (1984) Further discoveries of the fen violet (*Viola persicifolia* Schreber) at Wicken Fen, Cambridgeshire. *Watsonia*, **15**: 122-123.
- Rowell, T.A. (1986) The history of drainage at Wicken Fen, Cambridgeshire, England, and its relevance to conservation. *Biological Conservation*, **35**: 111-142.
- Rowell, T.A. (1986) Sedge (*Cladium mariscus*) in Cambridgeshire: its use and production since the 17th century. *Agricultural History Review*, **34**: 140-148.
- Rowell, T.A. (1987) History and experimentation in the management of Wicken Fen. *Nature in Cambridgeshire*, **29**: 14-19.
- Rowell T.A. (1986a) The history of drainage at Wicken Fen, Cambridgeshire, England: a guide to ecological development. *Biological Conservation* **35**: 111-142
- Rowell T.A. (1986b) Sedge (*Cladium mariscus*) in Cambridgeshire: its use and production since the 17th century. *Agricultural History Review* **34**: 140-148
- Rowell T.A. (ed.) (1988a) *Peatland handbook*. Peterborough, NCC.
- Rowell T.A., Guarino L. & Harvey H.J. (1985) The experimental management of vegetation at Wicken Fen. *Journal of Applied Ecology* **22**: 217-227
- Rowell T.A. & Harvey H.J. (1988) The recent history of Wicken Fen, Cambridgeshire, England: a guide to ecological development. *Journal of Ecology* **76**: 73-90
- Rowell, T.A., Walters, S.M., & Harvey, H.J. (1982) The rediscovery of the fen violet, *Viola persicifolia* Schreber, at Wicken Fen, Cambridgeshire. *Watsonia*, **14**: 183-184.
- Rowland-Brown, H. (1914) Wicken Fen: its conservation for entomology. *Entomologist* **47**:185-187.
- Rowland-Brown, H. (1916) Wicken Fen. *Entomologist*, **49**: 260.
- Rowland-Brown, H. (1917) Wicken Fen. *Entomologists' Monthly Magazine*, **53**: 13.
- Rowland-Brown, H. (1918) Wicken Fen Trust. *Entomologist*, **51**: 94.
- Royal Commission on Historic Monuments (1972) *An Inventory of Historical Monuments in the County of Cambridge. Volume II: North-East Cambridgeshire*. London, HMSO.
- Rudd, J.A. (1986) The mosquitoes of Wicken Fen. *Nature in Cambridgeshire* **28**: 13-19
- Rye, B.G. & Skinner, P.F. (1894) Coleoptera in 1894. *Entomologist's Monthly Magazine* **30**: 276-277
- Salt G. (1947) Teaching fieldwork - II. An entomological example. *The School Science Review* **107**: 73-79
- Salvin, O. (1856) Occurrence of the Great Bustard (*Otis tarda*) in Cambridgeshire. *Zoologist*, **14**: 5278-5280.
- Sandon, H. (1928) A note on the microbiology of Wicken Fen soils with special reference to the Protozoa. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 366-370. Cambridge, Bowes & Bowes.
- Saunders, E. (1892) *The Hemiptera Heteroptera of the British Islands*. London, L. Reeve & Co.. [includes records from Wicken]
- Saunders, J.T. (1925) The hydrogen ion concentration of the waters of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 162-171. Cambridge, Bowes & Bowes.
- Saville N. & Chapman H. (1988) Buzz pollination of comfrey at Wicken Fen. *Nature in Cambridgeshire* **30**: 16-20
- Saville, S.P. (1861) Notice of the discovery and capture, for the first time in the British Isles, of the Marsh Warbler (*Calamorpha palustris*). *Zoologist*, **19**: 7755-7756.
- Sawedal, L. & Langton, P.H. (1977) Redescription of *Paratanytarsus tenellus* (Goetghebuer, 1921)(Diptera: Chironomidae). *Entomol. Scand.* **8**: 167-171
- Sealy, A.F. (1856) Occurrence of the Great Bustard (*Otis tarda*) in Cambridgeshire. *Zoologist*, **14**: 5063-5064.
- Seamans, G.R. (1983) Adventurers' Fen revisited. *Cambridgeshire, Huntingdon and Peterborough Life*, **17** (193), 38-40.
- Sell, P. (1987) The dactylorchids of Wicken Fen. *Nature in Cambridgeshire*, **29**.; 69-72.
- Sell, P.D. (1973) The rediscovery of the Fen Ragwort in Cambridgeshire. *Nature in Cambridgeshire*, **16**: 37.
- Sequeira, J.S. (1911) Reminiscences of Wicken. *Transactions of the City of London Entomological and Natural History Society*, **20**: 33-35.
- Sharp, D. (1912) *Parnus anglicanus* Edw. at Wicken. *Entomologists' Monthly Magazine*, **48**: 236-237.
- Sharrock J.T.R. (1976) *The Atlas of Breeding Birds in Britain and Ireland*. Berkhamsted, T. & A.D. Poyser.
- Sheail J. (1987) *Seventy-five Years in Ecology: The British Ecological Society*. Oxford, Blackwell Scientific Publications.

- Sheail, J. (1976) *Nature in Trust*. London, Blackie. [includes several references to Wicken Fen]
- Sheail, J. (1983) The availability and use of archival sources of information. In: *Ecological Mapping from Ground, Air and Space*. R.M. Fuller (ed) p22-27. Cambridge, Institute of Terrestrial Ecology.
- Sheldon, W.G. (1916) *Stigmonota leguminana* in Wicken district. *Entomologist*, **49**: 19-20.
- Sheldon, W.G. (1916) The larva stage of *Anaglis siculana*. *Entomologist*, **49**: 63.
- Sheldon, W.G. (1916) Wicken Fen: its past, its present condition, and its future. *Entomologist*, **49**: 1-4.
- Sheldon, W.G. (1916) *Bankia argentula* in Wicken Fen. *Entomologist*, **49**: 65-66.
- Sheldon, W.G. (1927) An endowment for Wicken Fen. *Entomologist*, **60**, 241-243.
- Sheldon, W.G. (1927) An endowment for Wicken Fen. *Entomologists' Record and Journal of Variation*, **39**: 149-151.
- Sheldon, W.G. (1932) Wicken Fen and its upkeep: an appeal. *Entomologist*, **65**: 49-52.
- Sheldon, W.G. (1932) [Untitled. A brief review of *The Natural History of Wicken Fen* on its completion]. *Entomologist*, **65**: 140 .
- Sheldon, W.G. (1939) Wicken Fen. *Entomologist*, **72**: 117-118.
- Smart, J. (1972) *Guides to Wicken Fen. No. 8: Butterflies and Day-flying Moths*. Wicken, National Trust: Wicken Fen Local Committee.
- Smart, J. (1977) Wicken Fen and the swallowtail butterfly. *National Trust Yearbook, 1977*, 45-51.
- Smith K.W. (1983) The status and distribution of waders breeding on wet lowland grassland in England and Wales. *Bird Study* **30**: 177-192
- Smith, J. & Smith, M. (1974) Nest boxes 1974. *Wicken Fen Group* **6**: 25 .
- Smith, J.M. & Smith, C.M. (1975) Nest boxes 1975. *Wicken Fen Group* **7**: 28 .
- Smith, J.M. & Smith, C.M. (1976) Nest boxes 1976. *Wicken Fen Group* **8**: 29-30.
- Spencer, R. & the Rare Breeding Bird Panel (1993) Rare breeding birds in the United Kingdom in 1990. *British Birds* **86**: 62-90
- Spooner, G.M. (1929) *Lipara similis* Schn. at Wicken Fen. *Entomologists' Monthly Magazine*, **65**: 42-43.
- Spooner, G.M. (1930) *The Bees, Wasps and Ants of Cambridgeshire*. Cambridge, Cambridge Natural History Society.
- Spooner, G.M. (1962) Further records of Cambridgeshire bees and wasps. *Entomologists' Monthly Magazine*, **98**: 17 .
- Standen, R. (1898) *Vertigo moulinsiana* Dupuy in Cambridgeshire. *Journal of Conchology*, **9**: 217.
- Stenton, H. (1952) *The Soil-fungi of Wicken Fen*. PhD thesis, University of Cambridge.
- Stenton, H. (1953) The soil fungi of Wicken Fen. *Transactions of the British Mycological Society*, **36**: 304-314.
- Steventon, D.J. (1970) The blackbird population at Wicken Fen in relation to that at Cambridge. *Wicken Fen Group*, **2**: 34-35.
- Stout, J.D. (1971) Aspects of the microbiology and oxidation of Wicken Fen soil. *Soil Biology and Biochemistry* **3**: 9-25.
- Stratton, L.W. (1947) Mollusca of Wicken Fen. *Journal of Conchology*, **22**: 247.
- Streeter, D. (1965) Seasonal variation in the nutrient content of carpets of *Acrocladium cuspidatum* (Hedw.) Lindb. *Transactions of the British Bryological Society*, **4**: 818-827.
- Studd, E.F.C. (1898) Lepidoptera in Devonshire and Wicken Fen. *Entomologists' Record and Journal of Variation*, **10**: 310-312.
- Studd, E.F.C. (1898) *Hydrilla palustris* at Wicken. *Entomologists' Record and Journal of Variation*, **10**: 232
- Swain, F. (2004) *The effect of water management regime on the biodiversity of restored wetlands*. Unpublished MSc Thesis, Cranfield University, Silsoe. (Institute of Water and Environment)
- Swaffham Prior Naturalists' Society (1835) Minutes. Cambridge University Library: Add 6460.
- Schwarz, M. & Shaw, M.R. (1998) Western Palaearctic Cryptinae (Hymenoptera: Ichneumonidae) in the National Museums of Scotland, with nomenclatural changes, taxonomic notes, rearing records and special reference to the British check list. Part 1. Tribe Cryptini. *Entomologist's Gazette* **49**: 101-127. [notes a new British record of *Trychosis insularis* from Wicken Fen]
- Tansley, A.G. (1914) Presidential address. *Journal of Ecology* **2**: 194-202
- Tansley, A.G. (1935) The use and abuse of vegetational concepts and terms. *Ecology* **16**: 284-307
- Tansley, A.G. (1939) *The British Isles and their Vegetation*. Cambridge, University Press.

- Tansley, A.G. (1939) British ecology during the past quarter-century: the plant community and the ecosystem. *Journal of Ecology*, **27**: 513-530.
- Tansley, A.G. (1949) *Britain's Green Mantle*. London, George Allen & Unwin.
- Tansley, A.G. (1968) *Britain's Green Mantle. Second edition (rev. Proctor M.C.F.)*. London, George Allen & Unwin.
- Tarbat, J.E. (1911) *Hydrilla palustris*, etc. at Wicken. *Entomologist*, **44**: 111.
- Taylor, C.C. (1973) *The Cambridgeshire Landscape*. London, Hodder & Stoughton.
- Taylor, C.C. (1981) The drainage of Burwell Fen, Cambridgeshire. 1840-1950. In: *The Evolution of Marshland Landscapes*, ed. by xx. Oxford, Oxford University Department for External Studies.
- Taylor, F. (1899) Exhibits. *Journal of Conchology*, **9**: 256 .
- Taylor, P. (2005) *Beyond Conservation: a wildland strategy*. Earthscan, London.
[includes discussion of the Wicken Vision]
- Thomas, G.J., Allen, D.A. & Grose, M.P.B. (1981) The demography and flora of the Ouse Washes, England. *Biological Conservation* **21**: 197-229
- Thorne, C.J.R. & Bennett, T.J. (1989) *The Birds of Wicken Fen*. Wicken, The Wicken Fen Group and The National Trust.
- Thorne, C.J.R. (1971) Grotty leg. *Wicken Fen Group*, **3**: 17-18.
- Thorne, C.J.R. (1972) Some notes on wrens. *Wicken Fen Group*, **4**: 22-26.
- Thorne, C.J.R. (1973) Growth of reed warblers. *Wicken Fen Group*, **5**: 33-35.
- Thorne, C.J.R. (1973) Retraps at the reed bed. *Wicken Fen Group*, **5**: 38-39.
- Thorne, C.J.R. (1974) Moults of 12 species at Wicken Fen. *Wicken Fen Group*, **6**: 32-37.
- Thorne, C.J.R. (1975) Wing length of reed warblers. *Wicken Fen Group*, **7**: 10-13.
- Thorne, C.J.R. (1976) Premigratory weights of juvenile reed and sedge warblers at Wicken Fen. *Wicken Fen Group*, **8**: 18-23.
- Thorne, C.J.R. (1976) Primary moult of finches in Cambridgeshire. *Wicken Fen Group*, **8**: 26-29.
- Thorne, C.J.R. (1977) Standardised mist netting. *Wicken Fen Group*, **9**: 11-12.
- Thorne, C.J.R. (1978) Standardised mist netting, 1978 results. *Wicken Fen Group*, **10**: 10-11.
- Thorne, C.J.R. (1980) Standardised mist netting, 1979 and 1980 results. *Wicken Fen Group*, **11**: 12-13.
- Thorne, C.J.R. & Bennett, T.J. (1982) *The Birds of Wicken Fen*. Cambridge, The Wicken Fen Group.
- Thorne, C.J.R. & Smith, C.M. (1978) Longevity records. *Wicken Fen Group*, **10**: 14-16.
- Thornewill, C.F. (1915) *Hadena atriplicis* at Wicken. *Entomologist*, **48**: 44.
- Thorpe, W.H. (1938) Aves. In: *The Zoology of Cambridgeshire* (A.D. Imms ed.). In: Darby H.C. (ed.) *A scientific survey of the Cambridge district* pp 61-63. London, British Association for the Advancement of Science.
- Thurnall, A. (1914) *Acronycta strigosa*, *Hadena atriplicis*, etc. in Cambridgeshire. *Entomologist*, **47**: 313-315.
- Thurnall, A. (1916) *Bankia argentula* in Wicken Fen. *Entomologist*, **49**: 38.
- Tottenham, H.R. (1908) Hemiptera from Cambridgeshire. *Entomologists' Monthly Magazine*, **44**: 275.
- Tozer, D. (1946) Notes on Coleoptera collecting for 1946. *Entomologists' Monthly Magazine*, **83**: 47.
- Trevelyan, R. (1978) *A Pre-Raphaelite Circle*. London, Chatto & Windus.
- Tuck, W.H. (1902) Wicken Fen. *Eastern Counties Magazine*, **2**: 337-340.
- Turner, H.J. (1947) Butterfly collecting in 1947. *Entomologists' Record and Journal of Variation*, **60**: 37
- Turner, M.A. (1956-57) Field meetings, 1955 - August 24th to 31st, 1955. Flatford Mill Centre. *Proceedings of the Botanical Society of the British Isles* **2**: 182-184.
- Tutt, J.W. (1891) *Hadena porphyrea (satura)* in Cambridgeshire. *Entomologists' Record and Journal of Variation*, **2**: 186-187.
- Tutt, J.W. (1891) Notes of the season - Wicken Fen. *Entomologists' Record and Journal of Variation*, **2**: 176-179.
- Tutt, J.W. (1891) Capture of *Hesperia lineola* in Cambridgeshire. *Entomologists' Record* **2**: 163. [at Burwell Fen]
- Tutt, J.W. (1892) Notes of the season - Wicken Fen. *Entomologists' Record and Journal of Variation*, **3**: 196-202.
- Tutt, J.W. (1892) [Re. a visit to Wicken on 27 July 1892 for three weeks]. *Transactions of the City of London Entomological and Natural History Society*, 1892, 37-43.
- Tutt, J.W. (1893) *Random Recollections of Woodland, Fen and Hill*. London, Swan, Sonnenschein & Co.
- Tutt, J.W. (1895-6) Entomological haunts for a season. *Entomologists' Record and Journal of Variation*, **7**: 292-294.

- Unwin, D.M. (1987) The effect of management on insect species richness at Wicken Fen. *Nature in Cambridgeshire*, **29**: 37-40.
- Usinger, R.L. & Brown, E.S. (1949) Aquatic Hemiptera from Wicken Fen. *Entomologists' Monthly Magazine*, **85**: 311-312.
- Various (1927-1984) *Cambridge Bird Club Report*. Nos 1-58, .
- Verrall, G.H. (1904) Wicken Fen: another disastrous fire. *Entomologists' Monthly Magazine*, **40**: 111
- Verrall, G.H. (1909) The 'large copper' butterfly (*Chrysophanus dispar*). *Entomologist*, **42**: 183.
- Verrall, G.H., Evans, A.H. & Fearnside, W.G. (1904) Upware and Wicken Fen: a guide for the excursion on Saturday, 20th August. *British Association Excursions 1904*, *****, F1-F7.
- Vine, A.E. (1960) Bearded tits at Wicken. *Nature in Cambridgeshire*, **3**: 37
- Walker, D. (1986) Obituary. Sir Harry Godwin F.R.S. *Journal of Ecology*, **74**: 591-597.
- Walker, F.A. (1893) Cambridgeshire - *Papilio machaon*. *Entomologist*, **26**: 221 .
- Walker, J.J. (1898) Coleoptera, etc., at Chippenham and Wicken Fens. *Entomologists' Monthly Magazine*, **9**, 220-221.
- Walker, K., Oswald, P., Barratt, D. & Mountford, O. (1999) Experimental studies on Fen Dandelion *Taraxacum palustre* in Little Breed Fen, Wicken Fen NNR. *Nature in Cambridgeshire* **41**: 70 - 72
- Waller, M. (1994) *The Fenland Project, Number 9: Flandrian Environmental Change in Fenland*. East Anglian Archaeology, Report 70, Cambridgeshire County Council.
- Walley, L.J. (1960) *Daphnia magna* at Wicken Fen. *Nature in Cambridgeshire* **3**: 35 .
- Wallis, A. (1904) The flora of the Cambridge district. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley , 209-237. Cambridge, University Press.
- Walters S.M. (1976) The aquatic flora of Wicken Fen: evidence for deterioration. MS. in Wicken Fen archive.
- Walters, S.M. (1949) Biological flora of the British Isles. *Eleocharis* R.Br. *E. palustris*, *E. uniglumis*. *Journal of Ecology*, **37**: 192-206.
- Walters, S.M. (1951) Variation in *Eleocharis palustris* agg. PhD thesis, University of Cambridge.
- Walters, S.M. (1958) *Nitella tenuissima*, a rare British charophyte. *Proceedings of the Botanical Society of the British Isles*, **3**: 104
- Walters, S.M. (1965) Natural history. In: *The Cambridge Region 1965*, ed. by J.A. Steers, 51-67. London, British Association for the Advancement of Science.
- Walters, S.M. (1966) Rare sedge find on Wicken Fen. *Cambridge News*, 1 July 1966, 16 .
- Walters, S.M. (1967) *Guides to Wicken Fen. No. 3: List of the Vascular Plants of Wicken Fen*. Wicken, National Trust: Wicken Fen Local Committee.
- Walters, S.M. (1997) *Eleocharis quinqueflora* at Wicken. *Nature in Cambridgeshire* **39**: 53-54
- Walters, S.M. (1974) The rediscovery of *Senecio paludosus* L. in Britain. *Watsonia*, **10**: 49-54.
- Warburton, C. (1888) Notes on a collection of spiders, with a list of species taken in the neighborhood of Cambridge. *Proceedings of the Cambridge Philosophical Society*, **6**: 299-302.
- Warburton, C. (1890) Supplementary list of spiders taken in the neighbourhood of Cambridge. *Proceedings of the Cambridge Philosophical Society*, **7**: 98-99.
- Warburton, C. (1904) The Arachnida of Cambridgeshire. In: *Handbook to the Natural History of Cambridgeshire*, ed. by J.E. Marr and A.E. Shipley, 191-203. Cambridge, University Press.
- Watson, J.N.P. (1977) The world's first nature reserve? Wicken Fen, Cambridgeshire. *Country Life*, **29** September 1977, 844-845.
- Way, J.M. & Davis, B.N.K. (1965) Use of chemicals on nature reserves a) Experiments on the use of chemicals as management tools in Nature Reserves and their indirect effects on the flora and fauna. Monks Wood Experimental Station Report.
- Wells, S. (1828) *History of the Drainage of the Great Level of the Fens. Vol. 2*. London, S. Wells.
- Wells, S. (1841) *The Lot Book of the Bedford Level Corporation*.
- Wentworth-Day J. (1973) *A History of the Fens*. Wakefield, EP Publishing.
- West, G.S. (1899) The algal-flora of Cambridgeshire. *Journal of Botany*, **37**: 49-58.
- West, W. (1898) Notes on Cambridgeshire plants. *Journal of Botany*, **36**: 246-259 & 491-492
- Wheeler, B.D. (1980) Plant communities of rich-fen systems in England and Wales. III Fen meadow, fen grassland and fen woodland communities, and contact communities. *Journal of Ecology* **68**: 761-788
- Wheeler, B.D. (1980) Plant communities of rich-fen systems in England and Wales, I. Tall sedge and reed communities. *Journal of Ecology*, **68**: 365-395

- White, E.B. (1930) A visit to Wicken Fen. *Proceedings of the Bristol Naturalists' Society ser 4*, 7, 193-196
- Whitehouse, H.L.K. (1958) Additions to the bryophyte flora of Cambridgeshire. *Nature in Cambridgeshire*, **1**: 26
- Whitehouse, H.L.K. (1966) Cambridgeshire bryophyte records since publication of 'A Flora of Cambridgeshire'. *Nature in Cambridgeshire*, **9**: 51-53
- Wicken Fen Committee (1965) *Memorandum on Research Uses & Potentialities of the Fen*. Wicken Fen Committee.
- Wicken Fen Executive Committee (1947) *A Guide to Wicken Fen. Third edition*. London, National Trust.
- Wicken Fen Executive Committee (1965) *Wicken Fen Appeal*. Wicken Fen Executive Committee.
- Wicken Fen Local Committee of Management (1921) [Untitled report on the condition and management of Wicken Fen following World War I, with a statement of accounts (undated) and a list of committee members]. London, National Trust.
- Wicken Fen Local Committee (1958) Extracts from the report. *Nature in Cambridgeshire*, **1**: 15-17.
- Wicken Fen Local Committee (1959) Extracts from the report. *Nature in Cambridgeshire*, **2**: 11-13.
- Wicken Fen Local Committee (1960) Extracts from the report. *Nature in Cambridgeshire*, **3**: 13-14.
- Wicken Fen Local Committee (1961) Extracts from the report. *Nature in Cambridgeshire*, **4**: 12-13.
- Wicken Fen Local Committee (1962) Extracts from the report. *Nature in Cambridgeshire*, **5**: 12-13.
- Wicken Fen Local Committee (1963) Extracts from the report. *Nature in Cambridgeshire*, **6**: 10-13.
- Wicken Fen Local Committee (1964) Extracts from the report. *Nature in Cambridgeshire*, **7**: 10-13.
- Wicken Fen Local Committee (1965) Extracts from the report. *Nature in Cambridgeshire*, **8**: 13-17.
- Wicken Fen Local Committee (1966) Extracts from the report. *Nature in Cambridgeshire*, **9**: 10-12.
- Wicken Fen Local Committee (1967) Extracts from the report. *Nature in Cambridgeshire*, **10**: 14-15.
- Wicken Fen Local Committee (1968) Extracts from the report. *Nature in Cambridgeshire*, **11**: 14-15.
- Wicken Fen Local Committee (1969) Extracts from the report. *Nature in Cambridgeshire*, **12**: 13-14.
- Wicken Fen Local Committee (1970) Extracts from the report. *Nature in Cambridgeshire*, **13**: 11-12.
- Wicken Fen Local Committee (1971) Extracts from the report. *Nature in Cambridgeshire*, **14**: 10-12.
- Wicken Fen Local Committee (1971) *Teaching and Research Facilities at Wicken Fen*. National Trust Report.
- Wicken Fen Local Committee (1972) Extracts from the report. *Nature in Cambridgeshire*, **15**: 12-13.
- Wicken Fen Local Committee (1973) Extracts from the report. *Nature in Cambridgeshire*, **16**: 6-7.
- Wicken Fen Local Committee (1974) Extracts from the report. *Nature in Cambridgeshire*, **17**: 6-7.
- Wicken Fen Local Committee (1975) Extracts from the report. *Nature in Cambridgeshire*, **18**: 8-9.
- Wicken Fen Local Committee (1976) Extracts from the report. *Nature in Cambridgeshire*, **19**: 6.
- Wicken Fen Local Committee (1977) Extracts from the report. *Nature in Cambridgeshire*, **20**: 6-7.
- Wicken Fen Local Committee (1978) Extracts from the report. *Nature in Cambridgeshire*, **21**: 7.
- Wicken Fen Local Committee (1979) Extracts from the report. *Nature in Cambridgeshire*, **22**: 6-7.
- Wickham, A.P. (1920) *Thamnonoma (Halia) brunneata* at Wicken in June. *Entomologist*, **53**: 210-211.
- Wickham, A.P. (1920) A visit to Wicken Fen, June 14th to 26th, 1920. *Entomologist*, **53**: 211
- Wild, A.M. (1960) [Title and page nos unknown]. *British Spider Study Group Bulletin*, **8**: (or might be Bulletin of the Flatford Mill Spider Group 8.)
- Williams, C.B (1947) The Generic Relations of Species in Small Ecological Communities. *Journal of Animal Ecology* **16**: 11-18 [uses the Lepidoptera of Wicken Pen, Hertfordshire, and the British Isles among examples]
- Williams, P.H. (1982) The distribution and decline of British bumble bees (*Bombus* Latr.). *Journal of Apicultural Research* **21**: 236-245
- Williams, P.H. (1986) Environmental change and the distributions of British bumble bees (*Bombus* Latr.). *Bee World* **67**: 50-61
- Williams, B.S. (1924) *Anthicus bifasciatus* Rossi at Wicken. *Entomologists' Monthly Magazine*, **60**: 231
- Wilmott, A. J. (ed.) (1922) *Babington's Manual of British Botany*, 1922. 10th edn. London, Gurney & Jackson.
- Wilmott, A.J. (1948) Plant notes. *Watsonia* **1**: 121
- Wilson, D. (2004) On the early stages of the Reed Leopard moth *Phragmataecia castaneae* HB. (Lep.: Cossidae). *Entomologists' Record and Journal of Variation*, **116**: 49-53.
- Winsor, D. (1978) The end of a way of life?. *Sunday Telegraph Magazine*, 3 December 1978, 69-75.

- Witt, D.Ed.e. (1986) *Aspects of the Behaviour and Ecology of Group Living in Whirligig Beetles (Gyrinidae)*. MSc thesis, University of Cambridge.
- Wollaston, T.V. (1843) Notes on captures of coleopterous insects near Cambridge, in December 1842 and January 1843. *Zoologist* **1**: 116.
- Wollaston, T.V. (1844) Note on capture of Coleoptera near Cambridge. *Zoologist* **11**.
- Wollaston, M. (ed) (1933) *Letters and Diaries of A.F.R. Wollaston*. Cambridge, University Press.
- Wood, A.H. (1929) The Trichoptera of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 479-487. Cambridge, University Press.
- Worthington, E.B. (1928) *Dermoptera and Orthoptera of Cambridgeshire*. Cambridge, Cambridge Natural History Society (Fauna List 1).
- Worthington, E.B. (1928) The Diplopoda and Chilopoda of Wicken Fen. In: *The Natural History of Wicken Fen*, ed. by J.S. Gardiner, 308-312. Cambridge, University Press.
- Xiong, S. Johansson, M., Hughes, F.M.R., Hayes, A., Richards, K.S. & Nilsson, C. (2003) Interactive effects of soil moisture, vegetation canopy, plant litter and seeds on diversity in a British wetland plant community. *Journal of Ecology*, **91**: 976-986
- Yapp, R.H. (1908) Sketches of vegetation at home and abroad. IV - Wicken Fen. *New Phytologist*, **7**: 61-81.
- Yapp, R.H. (1909) Stratification in the vegetation of a marsh. *Annals of Botany*, **23**: 275-319.
- Yapp, R.H. (1908) Sketches of vegetation at home and abroad. IV Wicken Fen. *New Phytologist* **7**: 61-81
- Yau, A.S.K. (1994) Effects of fish predation on the zooplankton of Wicken Fen, Cambridgeshire. MS in Wicken archive.
- Yeates, G.W. (1970) Four *Dorylaimina* (Nematoda) from Wicken Fen, Cambridgeshire. *Nematologica*, **16**: 273-283.
- Yeates, G.W. (1971) Plant and soil nematodes of Wicken Fen. *Nature in Cambridgeshire*, **14**: 23-25.
- Yeo, P.F. (1976) Aster (naturalised species). In: *Flora Europaea* (Tutin T.G., Heywood V.H., Burges W.A., Moore D.M., Valentine D.H., Walters S.M. & Webb D.A. eds.) **4**: 112-116. Cambridge, University Press.
- Yeo, P.F. (1961) The bees and wasps of Cambridgeshire. *Entomologists' Monthly Magazine*, **96**: 84 .
- Yom-Tov, Y., Yom-Tov, S., Wright, J., Thorne, C.J.R. & Du Feu, R. (2006) Recent changes in body weight and wing length among some British passerine birds. *Oikos* **112**: 91-101
[study largely based on records collected by the Wicken Fen Ringing Group]